

S.



ESTADY
D. J. R.
C. A. N. T. E.

S.



ESTADU
D. R.
C. A. N. T. O.

Kalendarium Hortense;
OR, THE Hhh. 223
Gard'ner's Almanac,

Directing what he is to do
MONTHLY throughout the YEAR;

And what
FRUITS and FLOWERS
L. 44 ARE IN *24. 22*
L. **P R I M E.**

The Ninth Edition, with many useful Additions.

By **JOHN EVELYN, Esq.**
Fellow of the Royal Society.

Virg. Georg. 2.

————— *Labor altus in orbem.*

Columell. lib. ix. cap. 1.

*Satis admirari nequeo, quod primo scriptorum meorum ex-
ordio jure conquestus sum: Caterarum Artium minus
vitæ necessariorum repertos Antistites, Agriculturæ neq;
Discipulos, neq; Præceptores inventos.*

L O N D O N,

Printed for *Francis Fawces*, at the *King's Head* and
Crown near *Durham-Yard*, in the *Strand*, 1699.



679. 09

TO
Abraham Cowley Esq;

SIR,

THis *Hortulan Kalendar* is Yours, mindful of the Honour once conferr'd on it, when you were pleas'd to suspend your nobler *Raptures*, and think it worthy your *transcribing*. It appears now with some *Advantages* which it then wanted; because it had not that of publishing to the *World*, how infinitely I magnifie your *contempt* of (not to say *revenge* upon) it; whilst

A 3

you

The Epistle

you still continue in possession
of your Self, and of that *Re-*
pose which so few understand,
in exchange for those pretty
miseries you have essay'd: O
the sweet *Evenings* and *Morn-*
ings, and all the *Day* besides
which are yours,

— *while Cowley's made*
The happy Tenant of the Shade:

And the *Sun* in his *Garden*
gives him all he desires, and
all that he would enjoy: the
purity of visible Objects, and
of pure *Nature*, before she
was viciated by *Imposture* or
Luxury!

— *Books,*

Dedatory.

—Books, wise Discourse, Gar-
dens, and Fields,
And all the Joys that unmixt
Nature yields. Misc.

You gather the first *Roses* of Primus ver-
te rosam
the Spring, and *Apples* of *Autumn* : atque au-
tumno car-
pere poma. And as the Philosopher
in *Seneca* desired only *Bread*
and *Herbs* to dispute Felicity
with *Jupiter* ; you vie Happi-
ness in a thousand easie and
sweet Diversions ; not for-
getting the innocent *Toils*
which you cultivate ; the
Leisure and the *Liberty*, the
Books, the *Meditations*, and
above all, the learned and
choice *Friendships* that you
enjoy : Who would not, like
You,

The Epistle, &c.

You, *Cacher sa vie*? 'Twas the
wise *Impress* of *Balzac*, and
of *Plutarch* before him, You
give it *lustre* and *interpretation*.
I assure you, Sir, it is what in
the World I most inwardly
breathe after, and pursue, not
to say that I envy Your *Feli-*
city, deliver'd from the gilded
Impertinencies of Life, to enjoy
the moments of a solid and
pure *Contentment*; since those
who know how *usefully* You
employ this glorious *Recess*,
must needs be forc'd either to
Imitate, or, as I do, to *Celebrate*
your *Example*.

J. EVELYN.

IN.

THE
GARDEN.

TO
J. EVELYN Esq;

I Never had any other Desire
so strong, and so like to Co-
vetousness, as that one which I
have had always, that I might be
Master at last of a small House
and large Garden, with very
moderate Conveniences joined
to them, and there dedicate the
Remainder of my Life to the
Culture of them, and Study of
Nature,

*And there (with no design beyond my Wall)
whole and entire to lie,
In no unactive Ease, and no unglorious
Poverty.*

B

Or

The Garden.

Or, as *Virgil* has said, Shorter and Better for me, that I might there *Studiis florere ignobilis otii*, (though I could wish that he had rather said, *Nobilis otii*, when he spoke of his own) but several Accidents of my ill Fortune have disappointed me hitherto, and do still, of that Felicity; for though I have made the first and hardest Step to it, by abandoning all Ambitions and Hopes in this World, and by retiring from the Noise of all Business, and almost Company; yet I stick still in the Inn of a hired House and Garden, among Weeds and Rubbish; and without that pleasantest Work of Human Industry, the Improvement of something which we call (not very properly, but yet we call) our Own. I am gone out from *Sodom*, but I am not yet arrived at my little *Zoar*; O let me escape thither,

The Garden.

thither, (*is it not a little one?*)
and my Soul shall live. I do not
look back yet; but I have been
forced to stop, and make too
many Halts. You may wonder,
Sir, (for this seems a little too
extravagant and Pindarical for
Prose) what I mean by all this
Preface: It is to let you know,
That though I have mist, like a
Chymist, my great End; yet I
account my Affections and En-
deavours well rewarded by
something that I have met with
by the By: which is, that they
have procur'd to me some part
in your Kindness and Esteem;
and thereby the Honour of ha-
ving my Name so advantageously
recommended to Posterity, by
the *Epistle* you are pleased to
prefix to the most useful Book
that has been written in that
kind, and which is to last as long
as Months and Years.

The Garden.

Among many other *Arts* and *Excellencies* which you enjoy, I am glad to find this Favourite of mine the most predominant; That you chuse this for your Wife, though you have hundreds of other Arts for your Concubines; though you know them, and beget Sons upon them all, (to which you are rich enough to allow great Legacies) yet the Issue of this seems to be designed by you to the main of the Estate; you have taken most pleasure in it, and bestow'd most Charges upon its Education; and I doubt not to see that Book, which you are pleas'd to promise to the World, and of which you have given us a large Earnest in your *Kalendar*, as accomplish'd, as any thing can be expected from an *Extraordinary Genius*, and no ordinary Expences, and a long Experience. I know no body that possesses
more

The Garden.

more private Happiness than you do in your Garden; and yet no Man who makes his Happiness more publick, by a free Communication of the Art and Knowledge of it to others. All that I my self am able yet to do, is only to recommend to Mankind the Search of that Felicity, which you instruct them how to find and to enjoy.

I.

*Happy art thou whom God do's bless
With the full Choice of thine own Happiness;
And happier yet, because thou'rt blest
With Prudence how to chuse the best:
In Books and Gardens thou hast plac'd aright
(Things well which thou dost understand,
And both dost make with thy laborious Hand)
Thy noble innocent Delight;
And in thy vertuous Wife, where thou again dost
Both Pleasures more refin'd and sweet: (meet
The fairest Garden in her Looks,
And in her Mind the wisest Books.
Ob, who would change these soft, yet solid Joys,
For empty Shows, and senseless Noise;*

The Garden.

*And all which rank Ambition breeds,
Which seem such beauteous Flowers, and are such
(poisonous Weeds ?*

2.

*When God did Man to his own Likeness make,
As much as Clay, though of the purest Kind,
(By the great Potter's Art refin'd)
Could the Divine Impression take,
He thought it fit to place him, where
A kind of Heaven too did appear,
As far as Earth could such a Likeness bear :
That Man no Happiness might want,
Which Earth to her first Master could afford ;
He did a Garden for him plant,
By the quick Hand of his Omnipotent Word.
As the chief Help and Joy of Humane Life,
He gave him the first Gift ; first, even before a Wife.*

3.

*For God, the Universal Architect,
'T had been as easie to erect
A Louvre, or Escorial, or a Tower
That might with Heaven Communication hold,
(As Babel vainly thought to do of old)
He wanted not the Skill or Power :
In the Worlds Fabrick those were shown,
And the Materials were all his own.*

But

The Garden.

But well he knew what Place would best agree
With Innocence, and with Felicity:
And we elsewhere still seek for them in vain;
If any part of either yet remain,
If any part of either we expect,
This may our Judgment in the Search direct;
God the first Garden made, and the first City, Cain.

4.

Oh blessed Shades! Oh gentle cool Retreat
From all th' immoderate Heat,
In which the frantick World do's burn and sweat!
This do's the Lion-Star, ambitious Rage;
This Avarice, the Dog-Stars Thirst assuage;
Every where else their fatal Power we see,
They make and rule Man's wretched Destiny:
They neither set, nor disappear,
But tyrannize ov'r all the Year;
Whilst we ne'er feel their Flame or Influence here.
The Birds that dance from Bough to Bough,
And sing above in every Tree,
Are not from Fears and Cares more free,
Than we who Lie or Walk below,
And should by right be Singers too.
What Princes Quire of Musick can excel
That which within this Shade do's dwell?
To which we nothing Pay or Give,
They like all other Poets live,

The Garden.

Without Reward, or Thanks for their obliging Pains;

'Tis well if they become not Prey;

The whistling Winds add their less artful Strains,

And a grave Base the murmur'ing Fountains plays;

Nature do's all this Harmony bestow;

But to our Plants, Arts Musick too,

The Pipe, Theorbo, and Guitar we owe;

The Lute it self, which once was Green and Mute,

When Orpheus struck th' inspired Lute,

The Trees danc'd round, and understood

By Sympathy, the Voice of Wood.

5.

These are the Spells that to kind Sleep invite,

And nothing do's within resistance make,

Which yet we moderately take;

Who would not chuse to be awake,

While he's incompas'd round with such Delight,

To th' Ear, the Nose, the Touch, the Taste, & Sight?

When Venus would her dear Ascanius keep

A Pris'ner in the Downy Bands of Sleep,

She od'rous Herbs & Flowers beneath him spread,

As the most soft and sweetest Bed;

Not her own Lap would more have charm'd his

Who, that has Reason, and his Smell, (Head.

Would not among Roses and Jasmin dwell,

Rather than all his Spirits choak

With Exhalations of Dirt and Smoak?

And

The Garden.

And all th' Uncleanness which do's drown
In pestilential Clouds a populous Town;
The Earth it self breaths better Perfumes here,
Than all the Female Men or Women there,
Not without cause about them bear.

6.

When Epicurus to the World had taught
That Pleasure was the Chiefest Good,
(And was perhaps i'th' right, if rightly understood)
His Life he to his Doctrine brought,
And in a Gardens Shade that Sovereign Pleasure
Whoever a true Epicure would be, (saught:
May there find cheap and vertuous Luxury.
Vitellius his Table, which did hold
As many Creatures as the Ark of old;
That Fiscal Table, to which every Day
All Countries did a constant Tribute pay,
Could nothing more delicious afford,
Than Natures Liberality,
Helpt with a little Art and Industry,
Allows the meanest Gard'ners Board.
The wanton Taste no Fish or Fowl can chuse,
For which the Grape or Melon she would lose:
Through all th' Inhabitants of Sea and Air
Be listed in the Glutton's Bill of Fare;
Yet still the Fruits of Earth we see
Plac'd the third Story high in all her Luxury.

7. But

The Garden.

7.

But with no Sense the Garden do's comply,
None courts or flatters, as it do's the Eye:
When the great Hebrew King did almost strain
The wondrous Treasures of his Wealth and Brain,
His Royal Southern Guest to entertain;
Though she on Silver Floors did tread,
With bright Assyrian Carpets on them spread,
To hide the Metals Poverty:
Though she look'd up to Roofs of Gold,
And nought around her could behold
But Silk and rich Embroidery,
And Babylonian Tapestry,
And wealthy Hiram's Princely Dye: (Eye;
Though Ophirs Starry Stones met every where her
Though she her self, and her gay Host were drest
With all the shining Glories of the East;
When lavish Art her costly Work had done,
The Honour and the rize of Bravery
Was by the Garden from the Palace won;
And every Rose and Lilly there did stand
Better attir'd by Natures Hand:
The Case thus judg'd against the King we see,
By one that would not be so rich, though wiser far
than he.

8. Nor

The Garden.

8.

Nor do's this happy Place only dispense
Such various Pleasures to the Sense,
Here Health it self do's live,
That Salt of Life which do's to all a Relish give,
Its standing Pleasure, and intrinsick Wealth,
The Bodies Vertue, & the Souls good Fortune, Health,
The Tree of Life, when it in Eden stood,
Did its immortal Head to Heaven rear;
It lasted a tall Cedar till the Flood;
Now a small Thorny Shrub it do's appear;
Nor will it thrive too every where:
It always here is freshest seen;
'Tis only here an Ever-green.
If through the strong and beauteous Fence
Of Temperance and Innocence,
And wholesom Labours, and a quiet Mind,
Diseases passage find,
They must not think here to assail
A Land unarmed, or without a Guard;
They must fight for it, and dispute it hard,
Before they can prevail:
Scarce any Plant is growing here,
Which against Death some Weapon do's not bear.
Let Cities boast that they provide
For Life the Ornaments of Pride;
But 'tis the Country and the Field
That furnish it with Staff and Shield.

9. Where

The Garden.

9.

*Where do's the Wisdom and the Power Divine
In a more bright and sweet Reflection shine?
Where do we finer Strokes and Colours see,
Of the Creator's real Poetry,*

*Than when we with attention look
Upon the Third Days Volume of the Book?
If we could open and intend our Eye*

*We all like Moses should espy
Ev'n in a Bush the radiant Deity.
But we despise these his inferior Ways,
(Though no less full of Miracle and Praise)*

*Upon the Flowers of Heaven we gaze,
The Stars of Earth no Wonder in us raise,
Though these perhaps do more than they
The Life of Mankind sway.*

*Although no Part of mighty Nature be
More stor'd with Beauty, Power, and Mystery;
Yet to encourage Humane Industry,
God has so order'd, that no other Part
Such Space, and such Dominion leaves for Art.*

10.

*We no where Art do so triumphant see,
As when it Grafts or Buds the Tree:
In other things we count it to excel,
If it a docile Scholar can appear*

To

The Garden.

To Nature, and but imitates her well;
It over-rules, and is her Master here.
It imitates her Maker's Power Divine,
And changes her sometimes, & sometimes do's refine.
It do's, like Grace, the fallen Tree restore
To its blest State of Paradise before:
Who would not joy to see his conquering Hand
O're all the Vegetable World command?
And the wild Giants of the Wood receive
What Laws he's pleas'd to give?
He bids th' ill-natur'd Crab produce
The gentle Apples Winy Juice;
The Golden Fruit that worthy is
Of Galatea's purple Kiss;
He do's the savage Hawthorn teach
To bear the Medlar and the Pear;
He bids the rustick Plum to rear
A noble Trunk, and be a Peach.
Ev'n Daphne's Coyneß he do's mock,
And weeds the Cherry to her Stock,
Though she refus'd Apollo's Suit;
Ev'n she, that chaste and Virgin-Tree,
Now wonders at her self, to see
That she's a Mother made, and blushes in her Fruit.

II.

Methinks I see great Dioclesian walk
In the Salonian Gardens noble Shade,

Which

The Garden.

*Which by his own Imperial Hands was made:
I see him smile methinks, as he do's talk
With the Ambassadors, who come in vain
To entice him to a Throne again:
If I, my Friends, (said he) should to you show
All the Delights which in these Gardens grow,
'Tis likelier much that you should with me stay,
Than 'tis that you should carry me away:
And trust me not, my Friends, if every Day
I walk not here with more delight
Than ever after the most happy Fight,
In triumph to the Capitol I rod,
To thank the Gods, and to be thought my self al-
most a God.*

Chertsea,
1666.

A. COWLEY.

UNIVERSITY
LIBRARY
1

INTRODUCTION
TO THE
KALENDAR.

AS Paradise (*though of God's* Gen. 2. 15. *own Planting*) *was no longer Paradise than the Man was put into it, to dress it, and to keep it; so, nor will our Gardens (as near as we can contrive them to the resemblance of that blessed Abode) remain long in their perfection, unless they are also continually cultivated. But when we have so much celebrated the Life and Felicity of an excellent Gard'ner, as to think it preferable to all other Diversions whatsoever; it is not because of the leisure which he enjoys above other Men; Ease and Opportunity which minister to vain and insignificant Delights; such as Fools derive from*

The Introduction.

from sensual Objects : We dare boldly pronounce it, there is not amongst Men a more laborious Life than is that of a good Gard'ners ; but because a Labour full of Tranquillity and Satisfaction ; Natural and Instructive, and such as (if any) contributes to the most serious Contemplation, Experience, Health, and Longevity, munera nondum intellecta Deum. In sum, a Condition it is, furnished with the most innocent, laudable, and purest of earthly Felicities ; and such as does certainly make the nearest approaches to that blessed State, where only they enjoy all things without Pains ; so as those who were led only by the Light of Nature, because they could fancy none more happy, thought it worthy of entertaining the Souls of their departed Heroes, and most Illustrious of Mortals.

*But to return to the Labour, because there is nothing excellent
which*

which is to be attained without it :
 A Gardners Work is never at an
 end ; It begins with the Year, and
 continues to the next : He prepares
 the Ground, and then he sows it ;
 after that he Plants, and then he
 gathers the Fruits : But in all the
 intermedial Spaces he is careful to
 dress it ; *Prætermis-
 sar duode-
 cim horas,
 sed annum
 perisisti, ut
 sua quæque
 quod instat
 offerat.*
 A Gardener is not only to reckon
 upon the loss of bare twelve Hours,
 but of a whole Year, unless he im-
 mediately set about the doing that
 which ought to be done that very
 instant. And therefore is such a
 Monthly notice of his Task as de-
 pends upon the Signs and Seasons,
 highly necessary. *Quare, me-
 moria est
 Menstrui
 cuiusq; offi-
 cii manitio
 ea, quæ per-
 dit ea rari-
 bus Syde-
 rum Cæli,
 Sec. Cal. R.
 R. L. ix.*

Gardners had need each Star as
 well to know.

The Rat, the Dragon, and Arbu-
 res too,

As *Sagittæ*, who through dismal
 Storms are wout.

To pass the Oyster-breeding Hel-
 lephant.

San. San. San.

Hel. Hel. Hel.

Hyl. Hyl. Hyl.

O. O. O.

Quæ quæ quæ

San. San. San.

Hel. Hel. Hel.

Hyl. Hyl. Hyl.

O. O. O.

*All which duely weighed, how precious the Time is, how precipitous the Occasion, how many things to be done in their just Season, and how intolerable a Confusion succeeds the smallest Neglect (after once a Ground is in order) we thought we should not attempt an unacceptable Work, if here we endeavoured to present our Lovers of the Garden with a compleat Cycle of what is requisite to be done throughout every Month of the Year, and the Parts dispos'd in such Order, as may not only facilitate the Work; but render it agreeable, and redeem it from that extreme perplexity, which for want of a constant and uniform Method, we find does so universally distract the vulgar sort of Gard'ners: They know not (for the most part) the Seasons when Things are to be * done; and when at any time they come to know, there often falls out so many things to be done on the sudden, that some*

of

* Quia caput est in omni negotio nosse quid agendum sit.
&c. Col.
I. I. C. I.

of them must of necessity be neglected for that whole Year, which is the greatest detriment to this Mystery, and frequently irrecoverable.

We are yet far from imposing (by any thing we have here alledged concerning these Menstrual Periods) those nice and hypercritical Punctillo's, which some Astrologers, and such as pursue their Rules, seem to oblige our Gard'ners to; as if, forsooth, all were lost, and our Pains to no purpose, unless the Sowing and the Planting, the Cutting and the Pruning, were perform'd in such and such an exact Minute of the Moon: In hac Col. de 2. autem Ruris disciplina non desit R. lib. 9. deratur ejusmodi scrupulositas. cap. 364. There are indeed some certain Seasons, and suspecta tempora, which the prudent Gard'ner ought carefully (as much as in him lies) to prevent: But as to the rest, let it suffice, that he diligently follow the

Observations which (with some Industry) we have collected together, and here present him, as in so many Synoptical Tables calculated for his Monthly use; to the end he may pretermitt nothing which is under his Inspection, and is necessary, or distract his Thoughts and Employment before the Seasons require it.

Let none therefore despise and neglect these short Directions, so freely and ingenuously imparted; I shall not say to the regret of all our Mercenary Gard'ners; because I have much obligation to some above that Epithete; who being certainly amongst the most expert of their Profession in England, are no less to be celebrated for their free Communications to the Publick, by divers Observations of theirs which have furnished to this Design. And it is from the Result of very much Experience, and an extraordinary inclination to cherish so innocent and

and laudable a Diversion, and to incite an Affection in the Nobles of this Nation towards it; that there are some so kind and generous, as to communicate their Knowledge in the Hortulan Mystery, without Imposture, or invidious Reserve. The very Catalogue of Fruits and Flowers, for the Orchard and the Parterre, will gratifie the most innocent of the Senses, and whoever else shall be to seek a rare and universal choice for his Plantation.

Touching the Method, it is so obvious, that there needs no further Directions; and the Consequent will prove so certain, that a Work of the busiest Pains is by this little Instrument made not only easie, and (as we said) agreeable, but capable to preserve a Garden in that perfection of beauty and lustre, without confusion or prejudice. Nor indeed could we think of a more comprehensive Expedient,

whereby to assist the frail and tor-
 pent Memory through so multifa-
 rious and numerous an Employ-
 ment (the daily Subject of a
 Gard'ners Care) than by such an
 Oeconomy and Discipline, as our
 Industrious Gard'ner may himself
 be continually improving from his
 own Observations and Experience.
 In the mean time, we have at the
 instance of very many Persons,
 who have been pleased to acknow-
 ledge the Effects of former less
 perfect Impressions, thought good
 to publish and enlarge this Edition,
 though in a smaller Volume, that
 as an Enchiridion it may be the
 more ready and useful; but the Ka-
 lendar might be considerably aug-
 mented, and recommend it self to
 more Universal use, by taking in
 the Monthly Employments of all
 the Parts of Agriculture, as they
 have been begun to us in Columella,
 Palladius, de Seres, Augustino
 Gallo, Vincenzo Tanara, Herre-
 Tit. I.

Col. de R.
 R. lib. II.
 c. II.
 Pall. lib. I.
 Tit. I.

ra, our Tuffler, Markham, and others; especially if well and judiciously applied to the Climate and Temper of the several Countries: But it were here besides our Institution, nor would the Pages contain them; what is yet found vacant has been purposely left so, that our Gard'ner may supply as he finds cause; for which Reason likewise we have rang'd both the Fruits and Flowers in Prime after somewhat a promiscuous Order, that the Method might be pursu'd with the least disorder. Lastly,

The Fruits and Flowers in Prime are to be as well considered in relation to their lasting and continuance, as to their maturity and beauty.

That it may appear what Additions, and considerable Improvements are made to this Edition, I have caused the Margents to be pointed where they occur.

Note, That the References to the Discourse of Earth, are only to be found in the sixth Octavo Edition of this Kalendar, 1676. Some Suppliments occur in the Folio Edition, printed with Sylva and Pomona 1679. and which were publish'd 1678. but to which I very rarely send the Reader.

J. E.

Kalenda.

Kalendarium Hortense.



JANUARY

Hath xxxi days, long—8^h—0^m

Sun rises 8^h—0^m Sets 4^h—0^m

To be done

In the Orchard, and Olitory
Garden.

*Note, That
for the Ri-
sing and
Setting of
the Sun, &
Length of
the Days, I
compute
from the
first of eve-
ry Month,
London
Lat.*

Trench the Ground, and
make it ready for the
Spring: prepare also Soil, and
use it where you have occasion;
• for which purpose make plen-
• tiful provision of Neats, Horse,
• and Sheeps Dung especially,
• that

Jan. Olit.

• that you may have some of
 • two Years preparation, by now
 • and then stirring, and opening
 • it to the Air, and lastly screen-
 • ing it, reserve it for use in some
 • hard-bottom'd shady place, a
 • little excavated, that the Rain
 • wash not away the Vertue of
 • it: Suffer no *Weeds* to grow
 • on it: Have some Heaps of
 • sweet *Under-Pasture natural*
 • *Mould*, and fine *Loam*, to min-
 • gle with your *Dung*, as occasion
 • requires.

• *Note*, That the *Dung* of
 • *Pidgeons* and *Poultry*, mixed
 • with *Mould*, is excellent for
 • the *Fig-tree*, (to which I now
 • advise you to lay it) *Asparagus*,
 • *Straw-berries*, &c. but then it
 • must have passed its first Heat,
 • lest applied before, it burn the
 • Plant.

• *Horse-dung*, if not exceed-
 • ingly rotted, will infect the
 • Ground with Knot-grass, the
 • very

• very worst of Garden-weeds; *Jan Olit.*

• and is therefore only proper

• for moist and cold Grounds,

• and to be us'd for the *Hot-bed.*

• *Abricots* and *Peaches* require

• rather a natural, rich, and mel-

• low Soil, than much *Dung.*

• Dress your *Sweet-herb* Beds

• rather with a new Moulding

• every *second Year*, than with

• over-dunging or rank Soil.

• Mould, made of the rotting

• of *Weeds*, &c. is apt to pro-

• duce the same *Weeds.* Vide *Dis-*

• course of *Earth*, pp. 146, 147,

• and 153, &c.

Dig *Borders*, &c. Uncover as *See the Di-*
yet *Roots* of *Trees*, where *Abla-*rections in
queation is requisite. my Treatise
of *Earth*,
p. 118.

Plant *Quick-sets*, and trans-

plant *Fruit-trees*, if not finish'd :

Set * *Vines*, and begin to *prune* * See Mr.

the old: *Prune* the Branches of *Rose's*

Orchard Fruit-trees; especially *Vineyard*

the long planted, and that to- vindica-
ted, c. 5.

wards the decrease: but for such

as

Jan. Olit.

as are newly planted, they need not be disbranched till the *Sap* begins to stir, that is, not till *March*; that so the Wound may be healed, with the *Scar*, and *Stub*, which our Frosts do frequently leave: Besides, one then best discerns the *Fruit-buds*. In this Work cut off all the Shoot of *August*, unless the nakedness of the Place incline you to spare it: Consult my French Gard'ner, part 1. sect. 3. For this is a most material *Address*, towards which these short Directions may contribute.

Pomom. c. 8.

Learn first to know and distinguish the *Bearing* and *Fruit-buds* from the *Leaf-buds*: The *Fruit-buds* are always fuller and more turgid: These you are carefully to spare, and what you prune from the rest, cut off slanting above the *Bud*, with a very sharp Knife, leaving no Rags.

In

• In taking off an whole *Jan. Olit.*
Branch or Limb, cut close to
the *Stem*, that the *Bark* may
cover it the sooner.

• Those *Buds* which either put
forth just between the *Stem* and
Wall (in *Mural-trees* only) or
opposite to them, are to be
rubbed off as soon as they ap-
pear, sparing only the collate-
ral Branches.

• Keep your *Wall* and *Palisade-*
Trees from mounting too ha-
stily, that they may form beau-
tiful and spreading Branches,
shaped like a *Ladies Fan*, and
close to the Ground.

• Take the *Water-boughs* quite
away, which are those that on
Standards being shaded, and
drip't upon, remain smooth
and naked without *Buds*.

• Where you desire *Mural*
Fruit-trees should spread, gar-
nish, and bear, cut smoothly off
the next unbearing Branch.

• Forbear

Jan. Olit.

- Forbear pruning *Wall-fruit*
- that is tender, till *February*.
- Where *Branches* are so thick
- and intangled, that they gale
- one another, or exclude the
- *Sun* and *Air*, thin the place at
- discretion.

You may now begin to *Nail*
and *Trim* your *Wall-fruit*, and
Espaliers.

Cleanse *Trees* of *Moss*, &c.
the *Weather* moist.

Gather *Cyons* for *Graffs* before
the *Buds* sprout; and about the
latter end, graff them in the *Stock*,
Pears, *Cherries*, and *Plums*; and

- remember this for a *special*
- *Rule*, That you always take the
- *Cyon* from some goodly and plen-
- tifully-bearing *Tree*: For if it
- be from a young *Tree*, or one
- which has not yet born *Fruit*
- (tho' of never so excellent a
- kind) it will be a long time
- e'er your *Graff* produce any
- *Fruits* considerable.

Now


Now also remove your *Ker-Jan. Olit.*
nel-stocks to more commodious
distances in your *Nursery*, cutting
off the * *Top-rod*. Set *Beans*, * *Vide*
Pease, &c. *March.*

Sow also (if you please) for
early *Caully-flowers*.

Sow *Chervil*, *Lettuce*, *Radish*,
and other (more delicate) *Sal-*
letings; if you will raise in the
Hot-bed,

In over-wet, or hard Weather
cleanse, mend, sharpen, and pre-
pare Garden-Tools.

Turn up your *Bee-hives*, and
sprinkle them with a little warm
and *Sweet Wort*; do it dexte-
rously.



Fruits

Jan. Oliv.

Fruits in Prime, and yet
lasting.

A P P L E S.

K Entish Pepin, Russet Pepin,
Golden Pepin, French Pe-
pin, Kirton Pepin, Holland Pepin,
John-Apple, Winter Queening,
Marigold, Harvey Apple, Pome-
water, Pome-roy, Golden Doucet,
Apis, Reineting, Lones Pear-main,
Winter Pear-main, &c.

P E A R S.

Winter Musk, (bakes well)
Winter Norwich, (excellently ba-
ked) Winter Bergamot, Winter
Bon-crestien, both Mural: Ver-
goules, the great Surrein, &c.

JANUARY



JANUARY

Hath xxxi days, long—8^h—0^m

Sun rises 8^h—0^m Sets 4^h—6^m

To be done

In the *Parterre*, and *Flower-*
Garden.

SEt up your *Traps* for *Vermine* ;
especially in your *Nurseries*
of *Kernels* and *Stones*, and a-
mongst your *bulbous Roots* ;
• which will now be in danger.
• A *Paste* made of course *Honey*,
• wherein is mingled *Green-glass*
• beaten, with *Copperas*, may be laid
• near their *Haunts*. About the
middle of this *Month*, plant now
your *Anemony Roots*, and *Ranun-*
D *culus's*,

Jan. Part. *culus's*, which you will be secure of, without *covering*, or farther trouble: Preserve from too great and continuing *Rains* (if they happen) *Snow*, and *Frost*, your choicest *Anemonies*, and *Ranunculus's* sow'd in *September* or *October* for earlier *Flowers*: Also your *Carnations*, and such *Seeds* as are in peril of being wash'd out, or over-chill'd and frozen; covering them under shelter, and striking off the *Snow* where it lies too weighty; for it certainly rots, and bursts your early-set *Anemonies*, and *Ranunculus's*, &c. unless planted now in the *Hot-beds*; for now is the *Season*, and they will flower even in *London*. Towards the end, earth-up, with fresh and light Mould, the *Roots* of those *Auricula's* which the *Frosts* may have uncover'd; filling up the *Chinks* about the sides of the *Pots* where your choicest are set, but they need not be *hous'd*; it is a hardy Plant. *Flow-*

*Flowers in Prime, or yet
lasting.*

Winter *Aconite*, some *Ane-*
monies, Winter *Cyclamen*,
Black *Hellebor*, *Brumal Hyacinth*,
Oriental Jacinth, *Levantine Nar-*
cissus, *Hepatica*, *Primroses*, *Lau-*
rus-tinus, *Mezereon*, *Præcoce Tu-*
lips, &c. especially, if raised in
the *Hot-bed*. *Note*,

That both these *Fruits*, and
Flowers, are more *early*, or *tardy*,
both as to their prime *Seasons* for
eating, and perfection of *blowing*,
according as the *Soil*, and *Situati-*
on are qualified by *Nature*, or *Ac-*
cident. *Note also*,

That in this *Recension* of
Monthly Flowers, it is to be un-
derstood for the *whole Period*
that any *Flower* continues, from
its first *appearing*, to its final *wi-*
thering.



FEBRUARY

Hath xxviii days, long 9^h—24^m

Sun rises 07^h—13^m Sets 04^h—45^m

To be done

In the Orchard, and Olitory-
Garden.

PRune Fruit-trees, and Vines
as yet ; for now is your
Season to *bind*, *plash*, *nail*, and
dress, without danger of *Frost* :
This to be understood of the most
tender and delicate *Wall-fruit*, not
finish'd before ; do this before
the *Buds* and *Bearers* grow tur-
gid ; and yet in the *Nectarine* and
like delicate *Mural-Fruit*, the la-
ter your *Pruning* , the better,
what-

whatever has been, and still is, *Feb. Oliv.*
the contrary custom.

• And let your *Gard'ner* endeavour to apply the Collateral
• Branches of his *Wall Fruits*,
• as near as possible he can (without violation and unnatural
• bending and reverting) to the
• Earth or Borders; so as the
• Fruit (when grown) may almost touch the ground: The
• rest of the *Branches* following
• the same order, will display the
• Tree like a *Ladies Fan*, and represent the common exuberance
• of the leading and middle
• Shoots, which usually make too
• hasty an advance: A *Gard'ner*
• expert in *this*, and the right Art
• of *Pruning*, may call himself a
• *Workman sans Reproach*.

Remove *Graffs* of former years
Graffing. Cut, and lay *Quick-*
sets; and trim up your *Palisade*
Hedges, and *Espaliers*. Plant *Vines*
as yet, other *Shrubs*, *Hops*, &c.

Feb. Olit.

Set all sorts of *Kernels* and *stony Seeds*, which *Field-mice* will certainly ruine, before they sprout, unless prevented: Also sow *Beans*, *Pease*, *Rounsevals*, *Corn-sallet*, *Marigold*, *Anny-seeds*, *Radish*, *Parseneps*, *Carrots*, *Onions*, *Garlick*, &c. And plant *Potatoes* in your worst Ground.

Now is your Season for *Circumposition* by *Tubs* or *Baskets* of *Earth*, and for laying of *Branches* to take root. You may plant forth your *Cabbage-plants*.

Rub *Moss* off your *Trees* after a soaking *Rain*, and scrape, and cleanse them of *Cankers*, &c. draining away the *wet* (if need require) from the too much moistned *Roots*, and earth up those *Roots* of your *Fruit-trees*, if any were uncovered. Continue to *dig*, and *manure*, if Weather permit. Cut off the *Webs* of *Caterpillars*, &c. from the tops of *Twigs* and *Trees* to burn.

burn. Gather *Worms* in the E-^{Feb. Olst.}
venings after *Rain*.

Kitchen Garden Herbs may now be planted, as *Parsly*, *Spinage*, *Onions*, *Leeks*, and other hardy *Pot Herbs*. Towards the middle or latter end of this Month, till the *Sap* rises briskly, *graft* in the *Cleft*, and so continue till the last of *March*; they will hold *Apples*, *Pears*, *Cherries*, *Plums*, &c. the *New Moon*, and the *Old Wood* is best. Now also plant out your *Caully-flowers* to have early; and begin to make your *Hot-bed* for the first *Melons* and *Cucumbers* to be sow'd in the *Full*; but trust not altogether to them. You may all this Month, and the former, have early *Salads* on the *Hot-bed*, and under *Glass Frames* and *Bells*. Sow *Asparagus*. Lastly, Half open your *Passages* for the *Bees*, or a little before (if *Weather* invite;) but continue to feed weak *Stocks*, &c.

Feb. Olit.

*Fruits in Prime, or yet
lasting.*

A P P L E S.

K *Entish, Kirton, Russet, Hol-
land Pepins; Deux-ans,
Winter Queening, Harvey some-
times, Pome-water, Pome-roy, Gol-
den-Doucet, Reineting, Lones Pear-
main, Winter Pearmain, &c.*

P E A R S.

*Bon-Chrestien of Winter, Win-
ter Poppering, Little Dagobert, &c.*

FEBRU-



FEBRUARY

Hath xxviii days, long—09^h—24^m

Sun rises 07^h—13^m Sets 04^h—45^m

To be done

In the *Parterre*, and *Flower*
Garden.

Continue *Baits*, *Vermine-Traps*, &c. Sow *Alaternus* Seeds in *Cases*, or *open Beds*; cover them with *Thorns*, that the *Poultry* scratch them not out. Sow also *Lark-Spurs*, &c.

Now and then *air* your hous'd *Carnations*, in *warm* days especially, and mild *Showers*; but if like to prove *cold*, set them in again at Night.

Furnish

Feb. Part.

Furnish (now towards the end) your *Aviaries* with *Birds* before they couple, &c. and
 • hang up Materials for them to
 • build their *Nests* with.

• *Note*, That such *Birds* as feed
 • not on *Seeds* alone, should be
 • separated by a Partition of *Wyre*,
 • from those who feed on *bruised*
 • *Seeds*, *Pastes*, *fleshy*, or *pulpy* Mix-
 • tures; as the *Skie-Lark*, *Wood-*
 • *Lark*, *Throstle*, *R. Red-breast*, &c.

Flowers in Prime, or yet
lasting.

Winter *Aconite*, single *Ane-*
monies, and some double,
Tulips, *Præcoce*, *Hyacinthus Stel-*
latus, *Vernal Crocus*, Black *Helle-*
bore, single *Hepatica*, *Persian Iris*,
Leucoium bulbosum, *Dens Caninus*
 three leav'd, *Vernal Cyclamen*
 white and red, *Mezereon*, *Orni-*
thogal. max. alb. Yellow *Violets*
 with large Leaves, early *Daffo-*
dils, &c.

MARCH

γ

M A R C H

Hath xxxi days, long—11^h—22^m

Sun rises 06^h—19^m Sets 05^h—41^m

To be done

In the Orchard, and Olitory
Garden.

YEt *Stercoration* is seasonable,
and you may plant what
Trees are left, though it be some-
thing of the latest, unless in very
backward, or *moist* places.

Now is your chiefest and best
time for raising on the Hot-bed
Melons, *Cucumbers*, *Gourds*, &c.
which about the *sixth*, *eighth*, or
tenth day will be ready for the
Seeds; and eight days after *prick*
them

Mar. Olio. them forth at distances, according to the *Method*, &c.

If you will have them *later*, begin again in ten or twelve days after the first; and so a third time, to make *Experiments*. Remember to preserve the *Hot-bed* as much as possible from *Rain*; for cool him you may easily, if too violent, but not give it a competent Heat, if it be spent, without new-making. See *Discourse of Earth*, &c.

• Now is the best time for pruning young *Murals*, and indeed
• other Wall-Trees. See the Reason in *January*.

Graff all this *Month*, beginning with *Pears*, and ending with *Apples*, unless the *Spring* prove extraordinary forwards: See our *Pomona*, c. 3.

Now also plant *Peaches* and *Nectarines*, but cut not off the *top-roots*, as you do of other *Trees*; for it will much prejudice them:

them: Prune last years *Graffs*, *Mar. Olis.*
and cut off the *Heads* of your
budded Stocks. Take off the *Lit-*
tier from your *Kernel-beds*; see
Octob. or you may forbear till
April. • Stir your new planted
• *Ground*, as directed in *Disc. of*
• *Earth*, p. 52. and for the *Nur-*
• *sery*, p. 300. fol.

You may as yet cut *Quick-sets*,
and cover such *Tree-roots* as you
laid bare in *Autumn*.

It were profitable now also to
top your *Rose-trees*, (• which al-
• ways bear on the fresh Sprouts
• of the same Spring,) a little
with your Knife near a *Leaf-*
bud, and to prune off the dead
and withered Branches, keeping
them lower than the custom is,
and to a single *Stem.* • Cut away
• some Branches of the *Monthly*
• *Rose-tree* close, after the first
• bearing.

Slip, and Set *Sage*, *Rosemary*,
Lavender, *Thyme*, &c.

• *Note,*

Mar. Qlit.

• *Note*, That *Rosemary* thrives
 • better by cutting off the *Sprigs*,
 • than by ragged *Slips*, which
 • leaves an incurable *Scar* on the
 • *old Plant*: Cut them therefore
 • at a little distance from the
 • *Stem*, and this, so soon as it
 • *Flowers*, which is commonly in
 • this *Month*.

• Where the *Soil* is *Clay*, or over
 • moist, mingle it plentifully with
 • *Brick-dust*.

Sow in the beginning *Endive*,
Succory, *Leeks*, *Radish*, *Beets*,
Chard-Beet, *Scorzonera*, *Parsneps*,
Skirrets: • Sow *Skirrets* in rich,
 • mellow, fresh *Earth* and moist,
 • and when about a *Finger* long;
 • plant but one *single Root* in a
 • *Hole* at a *Foot* distance: Sow al-
 so *Parsly*, *Sorrel*, *Bugloss*, *Borage*,
Chervil, *Sampier* (to re-plant in
May) *Sellery*, *Smalladge*, *Alisan-*
ders, &c. Several of which con-
 tinue many *Years* without re-
 newing, and are most of them to
 be

be *blanch'd* by laying them under *Mar. Oliv.*
Littier and earthing up.

Sow also *Lettuce*, *Onions*, *Garlick*, *Orach*, *Purslain*, *Turneps* (to have early) monthly *Pease*, &c. these *annually*. Begin to tie up some *Lettuce*.

Transplant the *Beet-chard* which you sow'd in *August*, to have most ample *Chards*.

Sow also *Carrots*, *Cabbages*, *Cresses*, *Nasturtium*, *Fennel*, *Majoran*, *Basil*, *Tabacco*, &c. And transplant any sort of *Medicinal Herbs*.

• Whatsoever you now Sow or
• Plant of this sort, water not
• over *hastily*, nor with too great
• a *Stream*, for it hardens the
• Ground, without penetrating;
• rather endeavour to imitate the
• *Natural Shower*; but spare not
• Watering if necessary.

• Never cast Water on things
• newly planted, nor on *Flowers*,
• but at convenient distance, so

• as

Mar. Olit. • as rather to *moisten* the Ground,
 • without *sobbing* the *Leaves* of
 • the *Plant*, which ends in *scorch-*
 • *ing*.

Mid-March dress up (with a little fresh *Manure*) and string your *Strawberry Beds*, • clipping
 • away all their *Runners* till they
 • blossom. And *note*, That you
 • can hardly over-water your
 • *Strawberry-beds* in a dry Season;
 • yet better not water at all, than
 • too sparingly. Uncover your
Asparagus, spreading and loos-
 • ning the Mould about them, for
 their more easie penetrating;
 • flourishing the *Beds* thinly,
 • with a little fine fresh *Manure*.
 Also may you now transplant
Asparagus Roots to make new
Beds. See *Disc. of Earth*, p. 137.
 • Uncover also *Artichocks* cauti-
 • ously, and by degrees: The
 • like your *Fig-trees*, cutting off
 • the dead Wood.

By

By this time your Bees sit; *Mar. Ovis.*
keep them close Night and Morn-
ing, if the Weather prove un-
kind.

Turn your *Fruit* in the Room
where it lies, but open not yet
the *Windows*.

Fruits in Prime, or yet
lasting.

A P P L E S.

Golden Ducket, [*Doucet*]
Pepins, Reineting, Lones
Pearmain, Winter Pearmain, Win-
ter Bon-Cretienne, John-Apple, &c.

P E A R S.

Later Bon-Chretien, Double
Blossom Pear, &c.

E M A R C H

T

MARCH

Hath xxxi days, long 11^b—22^mSun rises 06^b—19^m Sets 05^h—41^m

To be done

In the *Parterre*, and *Flower-Garden*.

STake and bind up your weakest Plants and Flowers against the Winds, before they come too fiercely, and in a moment prostrate a whole Years Labour.

Plant Box, &c. in *Parterres*. Sow *Pinks*, *Sweet-Williams*, and *Carnations*, from the middle to the end of this Month. Sow *Pine-kernels*, *Fir-seeds*, *Bays*, *Alaternus*, *Phillyrea*, and most perennial

nial Greens, &c. Or you may stay *Mar. Part.*
till somewhat *later* in the *Month*.
Sow *Auricula-seeds* in *Pots* or *Cases*, in fine *Willow-earth*, a little
loamy; and place what you sow'd
in *September* (which is the more
proper Season) now in the *Shade*,
and *water* it.

Plant some *Anemony Roots* to
bear late, and successively; espe-
cially in and about *London*, where
the *Smock* is any thing tolerable;
and if the *Season* be very dry, wa-
ter them well once in *two* or *three*
Days, as likewise *Ranunculus's*.
Fibrous Roots may be transplanted
about the middle of this *Month*;
such as *Hepatica's*, *Primroses*, *Au-*
ricula's, *Camomile*, *Narcissus Tu-*
berose, *Matricaria*, *Gentianella*,
Hellebore, and other *Summer-flow-*
ers; Set *Leucoium*; Slip the *Keris*
or *Wall-flower*; and towards the
end, *Lupines*, *Convolvulus's*, *Spa-*
nish or ordinary *Jasmine*. You
may now a little after the *Equi-*

Mar. Part. nox prune *Pine* and *Fir-trees* :
See *September*.

Towards the *middle*, or latter end of *March* sow on the *Hot-bed* such Plants as are late bearing *Flowers* or *Fruit* in our *Climate* ; as *Balsamine*, and *Balsamum mas*, *Pomum Amoris*, *Datura*, *Æthopic Apples*, some choice *Amaranthus*, *Dactyls*, *Geranium's*, *Hedysarum Clipeatum*, *Humble* and *Sensitive Plants* ; *Lentiscus*, *Myrtle-berries* (steep'd a while) *Capsicum Indicum*, *Canna Indica*, *Flos Africanus*, *Mirabile Pernian* : *Nasturtium Ind.* *Indian Phaseoli*, *Volubilis*, *Myrrh*, *Carrobs*, *Marcoc*, five *Flos Passionis*, and the like *rare* and *exotic Plants* which are brought us from *hot Countries*. Note, that the *Nasturtium Ind.* *African Mary-golds*, *Volubilis*, and some others, will come (though not altogether so forwards) in the *Cold-bed* without *Art* : but the rest require much, and constant *Heat*, and there-

therefore several *Hot-beds*, till Mar. Part.
the common Earth be very warm
by the advance of the *Sun*, to
bring them to a due stature, and
perfect their *Seeds*: Therefore
your choicest *Amaranthus* being
risen pretty high, remove them
into another temperate *Hot-bed*;
the same you may do with your
African and *Sensitive* Plants, espe-
cially, which always keep under
Glasses. See *Discourse of Earth*,
p. 146.

About the expiration of this
Month carry into the *Shade* such
Auricula's, Seedlings, or *Plants* as
are for their choiceness reserved
in *Pots*.

Transplant also *Carnation* *Seed-*
lings, giving your *Layers* fresh
Earth, and setting them in the
Shade for a *Week*; then likewise
cut off all the *sick* and infected
Leaves; for now you may set
your choice ones out of *Covert*,
as directed in *February*.

Mar. Part.

Now do the *farewel Frosts* and *Easterly Winds* prejudice your choicest *Tulips*, and spot them; therefore cover such with *Mats* or *Canvas* to prevent *Freckles* and sometimes destruction. The same care have of your most precious *Anemonies*, *Auricula's*, *Chama-iris*, *Brumal Jacinths*, early *Cyclamen*, &c. Wrap your thorn *Cypress* tops with *Straw Wisps*, if the *Eastern Blasts* prove very tedious; and forget not to cover with dry *Straw* or *Pease-hame*, your young exposed *Ever-greens*, as yet *Seedlings*; such as *Fir*, *Pine*, *Phillyrea*, *Bays*, *Cypress*, &c. till they have pass'd *two* or *three* Years in the *Nursery*, and are fit to be *transplanted*; for the sharp *Easterly* and *Northerly* Winds transpierce, and dry them up. Let this also caution you upon all such *Extremities of Weather*, during the whole *Winter*; but be mindful to uncover them in all benign and

and tolerable Seasons and Inter-*Mar. Part.*
missions ; it being these accute
Winds, and seldom or never the
hardest *Frosts* or *Snows*, which do
the mischief. About the *end* un-
cover even your choicest *Plants*,
but with *Caution* ; for the tail of
the *Frosts* yet continuing, and
sharp *Winds*, with the sudden
darting Heat of the *Sun*, scorch
and destroy them in a moment ;
and in such *Weather* neither *sow*,
nor *transplant*.

Sow *Stock-gilliflower* Seeds in
the *Full*, to produce double
Flowers.

• In the mean time let *Gentle-*
• *men* and *Ladies*, who are curi-
• ous, trust little by *Mangonisme*,
• *Insuccations*, or *Medicine* to alter
• the *Species*, or indeed the *Forms*,
• and *Shapes* of *Flowers* confide-
• rably, that is, to render that
• *double*, which Nature produces
• but *single*, &c. but by frequent
• *Transplanting*, *Removing*, &c.

Mar. Part. • *Enriching* the Mould to *multiply*
 • and *double* ; and by *sterving*
 • and *hardning* the Earth, and
 • consequently taking from the
 • *Roots* the freer Nourishment,
 • for *variation* and *change*. Make
 • *much* of this Document.

Now you may set your *Oranges*, *Lemmons*, *Myrtles*, *Oleanders*, *Lentisci*, *Dates*, *Aloes*, *Amomums*, and like tender Trees and Plants in the *Portico*, or with the *Windows* and *Doors* of the *Greenhouses* and *Conservatories* open, for eight or ten days before *April*, or earlier, if the *Season* invite, (that is, if the sharp *Winds* be past) to acquaint them gradually with the *Air* ; I say, gradually and carefully ; for this change is the most *Critical* of the whole Year ; trust not therefore the *Nights* too confidently, unless the *Weather* be thorowly settled : Now is also your Season to raise *Stocks* to bud *Oranges* and *Lemmons* on, by sowing
 ing

ing the *Seeds* early this *Month*, *Mar. Part.*
• in such Mould as is mentioned
• in *May*: Let the *Seeds* be of the
• *Sevil Orange*, half a dozen in a
• Pot is enough, plunging it in the
• *Hot-bed*; Renew'd some time
• in *May*: Thus they will have
• shot near a Foot before *Winter*,
• and at the end of three Years,
• be fit for *Inoculation*; which
• you may now also *Bud* at the
• end of this Month, placing two
• *Buds* opposite to each other
• within an *Inch* of the Earth.
• *Make much of this Direction.*

Some of the hardiest *Evergreens* may now be transplanted, especially if the Weather be moist and temperate. Lastly,

Bring in Materials for the *Birds* in the *Aviary* to build their *Nests* withal.

Flowers

Mar. Part.

Flowers in Prime, and yet
lasting.

A Nemonies, Spring Cyclamen,
Winter Aconite, Crocus,
Bellis, white and black Hellebore,
single and double Hepatica, Leu-
coion, *Chamae-iris* of all colours,
Dens Caninus, Violets, Fritillaria,
Chelidonium small with double
Flowers, Hermodactyls, Tuberous
Iris, Hyacinth Zeboin, Brumal, Ori-
ental, &c. Junquills, great Chalic'd,
Dutch Mezereon, Persian Iris, Au-
ricula's, Narcissus with large tufts,
common, double and single Prim-
roses, Praecox Tulips, Spanish Trum-
pets or Junquils, Violets, yellow
Dutch Violets, Ornithogalum max.
alb. Crown Imperial, Grape Flow-
ers, Almonds and Peach Blossoms,
Rubus Odoratus, Arbor Judæ, &c.

APRIL

8

A P R I L

Hath xxx days, long—13^h—23^m

Sun rises 05^h—18^m Sets 05^h—42^m

To be done

In the Orchard, and Olitory-
Garden.

SOw sweet *Marjoram*, *Hyssop*,
Basil, *Thyme*; *Winter Savory*,
Scurvy-grass, and all fine and
tender *Seeds* that require the
Hot-bed.

• *Note*, that *Sweet Herbs* should
• be stirr'd up, and new mould-
• ed to make them strike fresh
• *Roots*.

Sow also *Lettuce*, *Purslan*, *Caul-
ly-flower*, *Raddish*, *Leeks*, &c.

• One

Apr. 011.

• One may sow *Raddish* and
 • *Carrots* together in the same
 • Bed, so as the *first* may be
 • drawn, whilst the other is ready.
 • Sow *Raddish*, *Lettuce*, *Parslan*,
 • *Sampier*, *Parsneps*, *Carrots* on
 • the same Ground, gathering
 • each kind in their Seasons, lea-
 • ving the *Parseneps* to Winter:
 • But it were good to change the
 • Ground for *Carrots* and *Parf-*
 • *neps* now and then.

• Remember to weed them
 • when they are about two In-
 • ches high, and a little after to
 • thin them with a small *Haugh*.

Plant *Artichoke slips*, &c.

Set *French Beans*, &c. And sow
Turneps to have them early.

You may yet slip *Lavendar*,
Thyme, *Peneroyal*, *Sage*, *Rosemary*,
 &c. and the oftner you clip and
 • cut them, the more will they
 • thrive. *Sage* so dressed at the
Spring and *Autumn*, will cause it to
 • continue long, and fair, without
 • replanting. • To

• To have excellent *Salleting* *Apr. Ovis.*

• all the Year round, sow *Turnep-seed*, *Raddish*, *Lettuce*, *Purslan*,
• *Borrage*, *Tarragon*, and all other
• kinds, in very rich Ground, and
• in *Winter* and *Spring* on the *Hot-bed*, covered, &c. drawing them
• Root and all as soon as they open a Leaf as broad as a Three-penny Piece, and so repeat sowing Monthly.

• *Geld* and prune *Strawberries* :
• Now also *Wall-trees*, especially
• the *Peach*, should have a *second*
• Pruning, shortning the Branches
• just above the *knit Fruit*.

Towards the *middle* of this
Month begin to plant forth your
Melons and *Cucumbers*, and so to
the *later end*, your *Ridges* well
prepared.

Gather up *Worms* and *Snails*,
after evening *Showers*, continue
this after all Summer-rains.

• *Soot-ashes*, refuse Sweepings of
• *Tobacco-stalks* made into a fine
• Powder

- Apr. Obit.* • Powder or Dust, and strewed
 • half an Inch in thickness at the
 • foot of *Trees*, and now and
 • then renewed, prevents *Pis-*
 • *mires* and other crawling *Insects*,
 • from invading the *Fruit*, &c.
 • *Weed*, and *Haugh* betimes. See
 • *July*. In such *Bordures* as you
 • plant *Wall-fruit*, or *Espaliers*
 • (which *Bordures* should be at
 • the least *four* or *five* Foot in
 • breadth) plant neither *Herbs*
 • nor *Flowers*, that you may be
 • continually stirring the Mould
 • with the *Spade*, and (as need is)
 • recreating it with *Composts*.
 • This may be in stead (and far
 • better) of *Hand-weeding*; only
 • you may adorn the outward
 • *Verge* with an *Edging* of *Pink*,
 • *Limon Thyme*, *Veronica*, &c. re-
 • newing them when you per-
 • ceive them to grow sticky, and
 • leave Gaps; and you may sprin-
 • kle the rest of the Surface with
 • *Lettuce*, *Raddish*, *Turnep-seeds*
 • for

• for tender Salleting, so you be *Apr.olis.*
 • sure to pull them up Root and
 • all by that time they are an
 • Inch high, and shew a Leaf no
 • broader than a Threepence.

Open now your *Bee-hives*, for
 now they *hatah*; look carefully
 to them, and prepare your
Hives, &c.

*Fruits in Prime, or yet
 lasting.*

A P P L E S.

P*Epins, Deux-ans, West-berry
 Apple, Russeting, Gilli-flowers,
 flat Reinet, &c.*

P E A R S.

*Later Bon-chrestien, Oak-pear,
 &c. double Blossom, &c.*

A P R I L

8

A P R I L

Hath xxx days, long—13^h—23^mSun rises 05^h—18^m Sets 05^h—42^m

To be done

In the Parterre, and Flower-
Garden.

SOW divers *Annuals* to have
Flowers all *Summer*; as double
Marigold, *Digitalis*, *Delphinium*,
Cyanus of all sorts, *Candy Tufts*,
Garden Pansy, *Miscipula*, *Scabius*,
Scorpoides, *Medica*, *Hollyhocks*,
Columbines, *Bellvidere*, which renew
every five or six *Years*, else they will
degenerate, &c.

Continue new and fresh *Hot-
beds*

beds to entertain such *exotick* *April Part.*

Plants as arrive not to their perfection without them, till the *Air* and *common Earth* be qualified with sufficient *warmth* to preserve them abroad: A *Catalogue* of these you have in the former *Month*.

Transplant such *Fibrous Roots* as you had not finish'd in *March*, (for this is the better Season) as *Violets*, *Hepatica*, *Primroses*, *Hellebore*, *Matricaria*, &c. Place *Auricula* Seedlings in the Shade.

Sow *Pinks*, *Carnations*, which you may continue to trim up, and cleanse from dead and rotten Leaves, *viz.* your old Roots. Sow *Sweet-Williams*, &c. to flower next Year: this, after Rain.

Set *Lupines*, &c.

Sow *Leucoium* in Full Moon, sprinkle it thin, frequently remove them, and replant in moist Weather the following *Spring*.

Sow also yet *Pine-kernels*,
F Fir-

April Part. Fir-seeds, Phillyrea, Alaternus, and most perennial Greens. Vide Sept.

Now take out your *Indian Tuberoses*, parting the *Off-sets*, (but with care, lest you break their *Fangs*; for it is from *Off-sets* only that you may expect *Flowers* in due time, and not from the *Mother Bulb*) then pot them in * *natural* (not *forc'd*) *Earth*; a Layer of *rich Mould* beneath, and about this, natural *Earth* to nourish the *Fibres*, but not so as to touch the *Bulbs*: then plunge your *Pots* in a *Hot-bed* temperately warm, and give them no *Water* till they *spring*, and then set them under a *South-wall*: In dry Weather water them freely, and expect an incomparable *Flower* in *August*. Thus likewise treat the *Narcissus* of *Japan*, (or *Garnsey Lilly*) for a later *Flower*; altho' that nice *Curiosity*, set only in a warm *Corner*, exposed to the *South*, without

* Vide
May.

out any removal at all for many *April Part.*

Years, has sometimes prospered better. • *Sea-sand* mingled with • the Mould more plentifully towards the Surface, exceedingly • contributes to the flourishing of • this rare *Exotick*. The protuberant *Fangs* of the *Yuca* are to be treated like the *Tuberoses*. Make much of this precious Direction.

Set out and expose *Flos Cardinalis* : Slip and set *Marums* : Water *Anemonies*, *Ranunculus's* (especially) and Plants in *Pots* and *Cases*, once in two or three Days, if *Drought* require it.

• *Note*, That even *Anemonies* • and *Flowers* of that *Class*, should • be discreetly pruned, where they • mat too thick ; as also *Gillyflowers* and *Carnations*, to produce fair Flowers.

But carefully protect from violent *Storms* of *Rain*, *Hail*, tails of the *Frosts*, and the too parching

April Part. ing Darts of the Sun, your Pen-
nach'd Tulips, Ranunculus's, Ane-
monies, Auricula's, covering them
with Matresses supported, on Cra-
dles of Hoops, which have now
in readiness. Now is the Season
for you to bring the choice and
tender Shrubs, &c. out of the
Conservatory; such as you durst
not adventure forth in March;
let it be in a fair day; only your
Orange-trees may remain in the
House till May, (see the Caution
there) to prevent all danger.
• Yet if the Weather prove be-
• nign, you may adventure about
• the middle of this Month, gi-
• ving a Refreshment of Water
• not too cold: about four Gal-
• lons of heated Water, to twen-
• ty, will render it Blood-warm,
• which is the fittest Temper up-
• on all Occasions throughout the
• Year: Above all things, be-
• ware both of cold Spring, Pump,
• or stagnant shaded Waters; that
• of

- of the *River* is best, but of *April Part.*
- *Rain* incomparable. In heat of
- Summer, let the Water stand in
- the *Sun* till it grow tepid : Cold
- Applications, and all Extreams
- are pernicious:
- Now is the *Season* (about the
- beginning of this *Month*) to
- prune, and cut off the *Tops* of
- such *Trees* as have shot above
- four or five Inches.

You may now graff these tender Shrubs, &c. by *Approach*, viz. *Oranges*, *Lemons*, *Pomegranads*, *Jasmines*, &c.

Now, towards the end of *April*, you may *Transplant* and *Remove* your tender Shrubs, &c. as *Spanish Jasmines*, *Myrtles*, *Oleanders*, young *Oranges*, *Cyclamen*, *Pomegranads*, &c. But first let them begin to *sprout* ; placing them a *Fortnight* in the *Shade* : but about *London* it may be better to defer this Work till mid-*August* : *Vide* also *May*, from

April Part. whence take Directions how to refresh and trim them. Prune now your *Spanish Jasmine*, within an *Inch* or two of the *Stock*: but first see it begin to shoot. Mow *Carpet-walks*, and ply *Weeding*, &c. Be diligent in ridding this Work, before they run to seed and grow downy, and speedily to rake away what you pull or *Haugh* up, lest they take root, and fasten again, and infect the Ground.

Note, That an half-spit deep stirring, and turning up of the Earth about your *Bordures* of *Mural Trees*, &c. is to be preferr'd to *Hand-weeding*, and more expeditious.

Towards the end (if the cold *Winds* are past) and especially after *Showers*, clip *Phillyrea*, *Alaternus*, *Cypress*, *Box*, *Myrtles*, *Barba Jovis*, and other *tensile Shrubs*, &c.

Here,

• Here, to take off a *Reproach* *April Part.*

• which *Bax* may lie under, (o-
• therwise a most beautiful and
• useful Shrub, for Edgings,
• Knots, and other Ornaments of
• the Coronary-Garden) because
• its Scent is not agreeable to
• many; if immediately upon
• Clipping (when only it is most
• offensive) you water it, the smell
• vanishes, and is no more con-
• siderable.

*Flowers in Prime, or yet
lasting.*

A *Nemonies, Ranunculus's, Au-
ricula Ursi, Chama-iris,
Crown Imperial, Caprifolium, Cycla-
men, Bell-flower, Dens Caninus,
Fritillaria, Gentianella, Hyperic-
um frutex, double Hepatica's,
Jacinth starry, double Daisies,
Florence Iris, tufted Narcissus,
white, double, and common,
English double, Primrose, Cowslips,*

F 4

Pulsatilla,

April Part. *Pulsatilla*, Ladies Smock, Tulips
 medias, *Ranunculus*'s of Tripoly,
 white Violets, Musk Grape-flower,
Geranium, *Radix Cava*, *Caltha pa-*
lustris, *Parietaria Lutea*, *Leucoi-*
um, Persian Lillies, *Pænies*, dou-
 ble Jonquils, *Muscaria* reversed,
Cochlearia, Persian Jasmine, *Acan-*
thus, Lilac, Rosemary, Cherries,
 Wall-Pears, Almonds, Abricots,
 Peaches, White Thorn, Arbor Judæ
 blossoming, &c.

M A Y

II

M A Y

Hath xxxi days, long—15^h—09^m

Sun rises 04^h—25^m. Sets 07^h—42^m

To be done

In the Orchard, and Olitory-
Garden.

SOW Sweet Majoran, Basil,
Thyme, hot and Aromatick
Herbs and Plants which are the
most tender. • Transplant Sam-
: pier to some very warm Expo-
: sure, as under a South-wall:
• You cannot provide too much
• of this excellent Ingredient to
• all crude Sallads.

Sow Purslan, to have young:
Lettuce, large-sided Cabbage, paint-
ed

May Obit. • ed Beans, &c. • Plant out Cab-
 • bages and Caully-flowrs, Nastur-
 • ces, Bete-Chard, Sellery.

Look carefully to your *Melons*;
 and towards the end of this
Month forbear to cover them any
 longer on *Ridges*, either with
Straw or *Matrasses*, &c.

• Prune *Fig-trees*.

• You may now give a third
 • Pruning to *Peach-trees*, taking
 • away and pinching off unblof-
 • some Branches.

• Break, and pull off all crum-
 • pl'd dry'd *Leaves* and wither'd
 • Branches of *Miral-Trees*, and
 • cleanse them from *Snails*, *Cater-*
 • pillars, &c. every where.

• *Fig-trees* may be grafted by
 • *Inarching*.

• Ply the *Laboratory*, and distil
Plants for *Waters*, *Spirits*, &c.

Continue *Weeding* before they
 run to *Seeds*: • carefully obser-
 • ving the *Directions* of *April* and
 • *July*, as of extraordinary *Impor-*
 • tance

• tance both for saving *Charge*, im- *May Olir.*
• provement of the *Fruit*, and
• the neat maintaining of your
• *Garden*.

Now set your *Bees* at full *li-*
berty, look out often, and expect
Swarms, &c.

Fruits in *Prime*, or yet
lasting.

A P P L E S.

PEpins, *Deux-ans* or *John Ap-*
ples, *West-berry Apples*, *Ruf-*
setting, *Gilly-flower Apples*, the
Maligar, &c. *Codling*.

P E A R S.

Great Kairville, *Winter Bon-*
Chrestien, *Black Pear of Worce-*
ster Surrein, *Double Blossom-*
Pear, &c.

C H E R R I E S, &c.

The *May-Cherry*, *Strawberries*,
&c. MAY



M A Y

Hath xxxi days, long—15^h—09^mSun rises 04^h—25^m Sets 07^h—35^m

To be done

In the *Parterre*, and *Flower-*
Garden.

• **N**OW forasmuch as Gentle-
 • men are very inquisitive,
 • when were the best and secu-
 • rest Seasons for exposing their
 • *Orange-trees*, and more tender
 • *Curiosities* : I give them this for
 • a Rule the most infallible ;
 • That they observe the *Mulber-*
 • *ry-tree*, when it begins to put
 • forth and open the Leaves, (be
 • it earlier or later) bring your
 Oranges

Oranges, &c. boldly out of the *May Part.*
Conservatory; 'tis your only Sea-

son to *Transplant* and *Remove*
 them. • Let this be done with

• care, if the Tree be too pon-

• derous to be lifted *perpendicu-*

• lar by the Hand alone, by ap-

• plying a *Triangle* and *Pully*,

• and so with a *Rope*, and a

• broad *Horse-girth* at the end,

• lapped about the Stem (to pre-

• vent galling) draw out the Tree

• with competent Mould adhe-

• ring to it, having before loos-

• ned it from the sides of the

• *Case*, and so with ease transfer

• it into another. Let the *Cases* See *Disc. of*

be filled with *natural Earth* (such *Earth, p.*

as is taken the first half *spit* *145, &c.*

from just under the *Turf* of the

best *Pasture-ground*, in a place

that has been well *foster'd* on)

mixing it with one part of

rotten *Cow-dung*, (• some pre-

• fer *Horse dung*) or very mellow

Soil screen'd, and prepared some

time

May Part. time before; if this be too stiff, sift a little *Lime* discreetly with it, or rather *Sea-coal Ashes*, or the rotten Sticks and Stuff found in hollow *Willows*; and if it want binding, a little *Loamy Earth*: Then cutting the too thick, and extravagant *Roots* a little, especially at bottom, set your *Plant*, but not too deep; rather let some of the *Roots* appear. If you see cause to form the *Heads* of your *Trees*, by cutting off any considerable *Branch*; cover the Wound or *Amputation* with a Mixture of *Bees-wax*, *Rosin*, and *Turpentine*: of the *Wax* and *Turpentine* each one Ounce, of *Rosin* two; some add a little *Tallow*. Lastly, settle it with temperately enrich'd *Water*, (such as is impregnated with *Neat* and *Sheeps-dung* especially, set and stirred in the *Sun* some few days before; but be careful not to drench

drench them too much at first; *May Part.*
 but giving it by degrees day after day, without wetting the Stem or Leaves:) having before put some Rubbish of Lime-stones, Pebbles, Shells, Faggot-spray, or the like, at the bottom of the Cases, to make the Moisture passage, and keep the Earth loose, for fear of rotting the Fibres: See Novemb. Then set them in the Shade for a Fortnight, and afterwards expose them to the Sun; yet not where it is too scorching by the Reflection of Walls, but rather where they may have the gentle Shade of distant Trees, or a Palisade thin Hedge, or Curtain drawn before them, which may now and then be sprinkled with Water, as Sea-men do their Sails. The morning Sun, till about Three in the Afternoon is best. Be not yet over-hasty in giving them the full Sun; for in your discreet acquainting them
 with

May Part. • with this *Change*, consists their
 • Prosperity during all the *Summer* after. See *Disc. of Earth*, p.
 • 140.

*Vide
July.

Give now also all your *hous'd*
Plants (such as you do not think
 requisite to take out) fresh *Earth*
 at the *surface*, in place of some
 of the old *Earth* (a hand depth
 or so) and loosning the rest with
 a *Fork*, without wounding the
Roots : Let this be of excellent
 rich * *Soil*, such as is thoroughly
consumed, and will *sift*, that it
 may *wash* in the *virtue*, and com-
 fort the *Plant* : *Brush* and *cleanse*
 them likewise from the *Dust*
 contracted during their enclo-
 sure : • If you do not *Transplant*,
 • or *Remove* them about the mid-
 • dle of the Month, take off the
 • *Surface-earth* about an Inch or
 • two deep, and put *Cow-dung* of
 • the last Years Preparation in
 • place of it, covering it over
 • with the same Mould : See *July*.
 • But

• But now for a *Compendium*, and *May Part.*
• to gratifie *Gentlemen* with what
• is most *effectual*, as well as *easse* ;
• let them always be provided
• with a plentiful *Stock* of old
• *Neats dung*, well air'd and stirr'd
• for two Years: Then with *Three*
• parts of this, and *One* of the
• bottom of the *Tanner's Pit*, (with
• some Addition of a light *under-*
• *turf Mould*) they will be provi-
• ded with an incomparable *Com-*
• *position*, not only for their *O-*
• *range-trees*, but for all other sorts
• of *Verdures*: But after all, where
• there is to be found a *natural*
• *Earth*, with an *Eye* of *Loam* in
• in it (such as is proper for most
• *Flowers*, *Carnations* especially)
• mixing it with well-consumed
• *Horse-dung*, and something of
• a drying nature, such as is the
• *Ashes* of *Sea-cole*, in due propor-
• tion, to keep it loose and from
• clogging, you need seek for no-
• thing more. Neither shall they
G need

May Part. • need much to trim the *Roots*,
 • (unless they find them exceed-
 • ingly matted and stragling) or
 • put so much loose Trash at the
 • bottom of their Cases; but it
 • were good to *change* them once
 • in *three* or *four Years*, into lar-
 • ger ones, if they prosper. The
 • least size of Cases ought to be of
 • Sixteen Inches, the middle sort
 • of two Foot, and the largest near
 • a Yard diameter, supported from
 • the Ground with Knobs or Feet
 • four Inches.

*These last Directions have till
 now been kept as considerable Se-
 crets amongst our Gard'ners: Vide
 August and September.*

Shade your *Carnations* and *Gil-
 ly-flowers* after mid-day about this
Season: • You may likewise sow
 • Clove *Gilly-flowers*, New-Moon.
 Plant also your *Stock-Gilly-flowers*
 in Beds, Full-Moon.

Continue watering *Ranuncu-
 lus's*. Transplant forth your *Ama-
 ranthus's*,

ranthus's, where you would have *May Part.*
them stand : Sow *Antirrinum* ;
or you may set it.

Gather what *Anemony*-seed you
find ripe, and that is worth sa-
ving ; preserve it very dry : You
may plant *Single Anemonies*.
Prune *Jasmine* close, within
half an *Inch*.

Cut likewise the *Stalks* of such
Bulbous Flowers as you find dry.

Towards the end take up those
Tulips which are dry'd in the
Stalk ; covering what you find
to lie bare from the *Sun* and
Showers : And if you find any
to be *Canker'd*, bury them im-
mediately in the Earth again,
before they be dry : 'tis the best
Cure.

Flowers in Prime, or yet
lasting.

Late set Anemonies and Ranunculus omn. gen. Anapodophylon, Blattaria, Chama-iris, Augustifol. Cyanus, Cytisus, Maranthe, Cyclamen, Helleborine, Columbines, Caltha palustris, double Cotyledon, Digitalis, Fraxinella, Gladiolus, Geranium, Horminum Creticum, yellow Hemerocallis, strip'd Jacinth, early Bulbous Iris, Asphodel, yellow Lillies, Lychnis, Jacea, Bellis double, white and red, Millefolium luteum, Phalangium Orchis, Lilium Convallium, Span. Pinks, Deptford Pinks, Rosa common, Cinnamon, Guelder, and Centifol. &c. Oleaster, Chery-bay, Trachelium, Cowslips, Hesperis, Antirrhinum, Syringa's, Sedums, Tulips Serotin, &c. Valerian, Veronica double and single, Musk Violets,

*Violets, Ladies Slipper, Stock Gilly- May Part.
flowers, Spanish Nut, Star-flower,
Chalcedons, ordinary Crowfoot, red
Martagon, Bee-flowers, Campanel-
la's white and blue, Persian Lilly,
Honey-suckles, Bugloss, Homer's
Moly, and the white of Dioscori-
des, Pansies, Prunella, purple Tha-
lictrum, Sisymbrium double and
simple, Leucoium bulbosum seroti-
num, Peonies, Sambucus, Rosema-
ry, Stachys, Sea-Narcissus, Barba
Jovis, Laurus, Satyrion, Oxya-
canthus, Tamariscus, Apple Blos-
soms, &c.*

G 3 JUNE



JUNE

Hath xxx days, long 16^h—17^m

Sun rises 03^h—51^m Sets 08^h—09^m

To be done

In the Orchard, and Olitory.
Garden.

SOW Lettuce, Chervil, Radish,
&c. to have young and tender Salleting.

About the *midst* of June you may Inoculate Peaches, Abricots, Cherries, Plums, Apples, Pears, &c. On what Stocks, see November.

You may now also (or in May before) cleanse Vines of exuberant Branches and Tendrels, cropping (not cutting) and stopping the
the

the second *Joint*, or immediately *June Olie.*

before the *Fruit*, and some of the under Branches which bear no *Fruit*; especially in young *Vineyards*, when they first begin to *bear*, and thence forwards; binding up the rest to *Props*.

- More ample Directions for the
- *Nursery* this *Months* beginning,
- see *Disc. of Earth*, p. 155, 156.
- and in the *Folio*, 300.

Gather *Herbs* in the *Full* to keep *dry*; they keep and retain their *vertue* and *sweet smell*, • provided you take the same care as • you do in *Hay*, that you expose • them not in too thin, but com- • petent *Heaps*, which you may • turn and move till they be rea- • sonably dry, not brittle; and • the sooner it be dispatch'd, the • better; The *Gardner* therefore • should attend it himself, for • there is very great difference in • the *Vertue* of *Plants*, according • as they are dried.

June Obit.

• To preserve the Calour of
 • Flowers or Herbs, they should
 • be dried in the *Shade*; but they
 • will be apt to contract Multi-
 • tudes, unless shewed to the *Sun* a
 • little.

Now is your *Season* to distil
Aromatick Plants, &c.

Water lately planted *Trees*, and
 put moist and half rotten *Fearn*,
&c. about the foot of their *Stems*,
 having first clear'd them of
 Weeds, and a little stirred the
 Earth.

• Now because the excessive
 • *Scorchings* of *this*, and the two
 • following *Months* (and not sel-
 • dom the *Winters* also) do fre-
 • quently indanger the untimely
 • falling both of *Blossom* and
 • *Fruit* before their maturity;
 • place a Vessel of impregnated
 • Water near the *Stem* of the
 • Tree, and lap a reasonable long
 • piece of *Flannel*, or other Wool-
 • len or Linen Clout about it,
 • letting

letting one end thereof hang June Obit,
in the Water, by which the
Moisture ascending, will be
suck'd through the very *Bark*,
and consequently nourish and
invigorate the Tree to re-pro-
duce its former *Verdure*: The
Water is to be supplied as you
find it convenient, and no lon-
ger, lest it sob your *Stem* too
much. This manner of Re-
freshing is more to be preferr'd,
than by suffering it to drop only
upon the Earth (which yet in
other Occasions is profitable) *per*
lingulam; which if too plenti-
fully, indangers the chilling and
rotting of the *Fibres*.

Note, That Sick Trees, as O-
range, &c. frequently impair'd
by *Removes*, *Carriage*, ill hand-
ling, and other *Accidents*, are
many times recover'd by a
Milk-diet; that is, diluting it
with a portion of *Water* di-
screetly administer'd, as you
find

June Oliv. • find amendment : Sometimes al-
 • so by plunging them in the *Hot-*
 • *bed*; or by letting the *Tree* down
 • into a *Pit* of four or five Foot
 • depth, covering the *Head* and
 • rest of the *Tree* above with a
 • *glaz'd Frame*: Either of these
 • *Remedies* profit according as
 • the *Plant* is affected, wanting
 • Warmth or Nourishment.
 • Ply *Weeding* as in the former
 • Month.

Look to your *Bees* for *Swarms*
 and *Casts*; and begin to destroy
Insects with *Hoofs*, *Canes*, and
 tempting *Baits*, &c. Gather
Snails after *Rain*, &c.

Fruits in *Prime*, or yet
lasting.

A P P L E S.

JUniting (first ripe) *Pepins*,
John-Apples, *Robillard*, *Red*
Fennouil, &c. *French*.

PEARS.

P E A R S.

The Maudlin (first ripe), Madera, Green-Royal, St. Laurence Pear, &c.

C H E R R I E S, &c.

Duke, Flanders, Heart, } Black.
 } Red.
 } White:

Luke-ward, early Flanders, the Common Cherry, Spanish Black, Naples Cherries, &c.

Rasberries, Corinths, Strawberries, Melons, &c.

JUNE



JUNE

Hath xxx days, long—16^h—17^m

Sun rises 03^h—51^m Sets 08^h—09^m

To be done

In the Parterre, and Flower-
Garden.

TRansplant *Autumnal Cyclamens* now, if you would change their place; otherwise let them stand. Take up *Iris Chalcedon*.

Gather the ripe *Seeds* of *Flowers* worth the saving, as of choicest *Oriental Jacinth*, *Narcissus*, (the two lesser, pale spurious *Daffodils* of a whitish green, often produce Varieties) *Anricula's*,
Ra-

Ranunculus's, &c. and preserve *June Part.* them dry: Shade your *Carnations* from the Afternoon Sun.

You may now begin to lay your *Gilly-flowers*. Sow some *Annals* to flower in the later Months.

Take up your rarest *Anemonies* and *Ranunculus's* after Rain (if it come seasonable, not before) the *Stalk* withered, and dry the *Roots* well: This about the end of the Month. In mid *June* inoculate *Jasmine*, *Roses*, and some other rare *Shrubs*. Sow now also some *Anemony Seeds*. Take up your *Tulip Bulbs*, burying such immediately as you find naked upon your *Beds*; or else plant them in some cooler place; and refresh over-parch'd *Beds* with Water. Water your *Pots* of *Narcissus* of *Japan* (that precious Flower) &c. Stop some of your *Scabious's* from running to Seed the first Year, by now removing them, and next Year

June Part. Year they will produce excellent *Flowers*. Also you may now take up all such *Plants* and *Flower-roots* as endure not well out of the Ground, and replant them again immediately; such as the early *Cyclamen*, *Jacinth Oriental*, and other *bulbous Jacinths*, *Iris*, *Fritillaria*, *Crown Imperial*, *Martagon*, *Muscari*, *Dens Caninus*, &c. The *Slips* of *Myrtle* set in some cool and moist place, do now frequently take root: Also *Cytisus lunatus* will be multiplied by *Slips* in a moist place, such as are an *Handful* long of that *Spring*, but neither by *Seeds* or *Layers*. Look now to your *Aviary*; for now the *Birds* grow sick of their *Feathers*; therefore assist them with *Emulsions* of the cooler *Seeds* bruised in their *Water*, as *Melons*, *Cucumbers*, &c. Also give them *Succory*, *Beets*, *Groundsel*, *Chick-weed*, fresh *Gravel*, and *Earth*, &c.

Flowers

*Flowers in Prime, or yet
lasting.*

A *Maranthus*, *Anemonies* single,
Antirrhinum, *Asphodel*, *Campa-*
nula, *Convolvulus*, *Cyclamen*, *Clematis*
Panonica, *Cyannus*, *Blattaria*, *Digi-*
talis, *Gladiolus*, *Hedysarum*, *Gerani-*
um, *Horminum Creticum*, *Hieraci-*
um, *Hesperis*, *Bulbous Iris*, and di-
vers others, *Lychnis* var. *generum*,
Martagon white & red, *Millefolium*
white and yellow, *Nasturtium In-*
dicum, *Nigella*, *Aster Atticus*, *Hel-*
lebore, *Alb. Gentiana*, *Trachelium*,
Ficus Indica, *Fraxinella*, *Shrub*
Nightshade, *Jasmines*, *Honey-suckles*,
Genista Hisp. *Carnations*, *Pinks*,
Armerius, *Ornithogalum*, *Pansie*,
Phalangium Virginianum, *Larks-*
heel early, *Philosella*, *Roses*, *Thlas-*
pi Creticum, &c. *Veronica*, *Viola*
pentaphyl. *Campions* or *Sultans*,
Mountain Lillies white, red:
double

July Part. double Poppies, Palm Christi,
 Stock-gilly-flowers, Corn-flag, Holly-
 hoc, Muscaria, Serpillum Citratum,
 Phalangium Allobrogicum, Oranges,
 Rosemary, Gelder, and Cynomon
 Roses, Tuber-rose, Lentiscus, Pome-
 granade, the Lime-tree, &c.

JULY

Har
Sun

In

SO
h
So
Week
W
and
now
as m
Shoots
the m
rith,

℞

JULY.

Hath xxxi days, long—15^h—59^m

Sun rises 04^h—00^m Sets 08^h—01^m

To be done

In the Orchard, and Olitory-
Garden.

Sow Lettuce, Raddish, &c. to
have tender Salletting.

Sow later Pease to be ripe six
Weeks after Michaelmas.

Water young planted Trees,
and Layers, &c. and re-prune
now Abricots and Peaches, saving
as many of the young likeliest
Shoots as are well placed; for
the now Bearers commonly pe-
rish, the new ones succeeding.

H

Cut

July Obit.

Cut close and even, purging your Wall-fruit of superfluous Leaves which hinder from the Sun; but do it discreetly, as also Vines.

It were now fit (and especially when the Fruit is either forming, or requires filling, and before if the Season be very dry) to give plentiful Refreshments to your Mural Fruit-trees, pouring it leisurely into Holes made with a wooden-pointed Stake, at competent distance from the Stem, and so as not to touch or wound any of the Roots: You may leave the short Stakes in the Holes for a while, or fill them with Mould again: Thus may you feed your Vines with Blood, sweet, and mingled with Water, &c. But this, and all other Summer Refreshings, is only to be done early in the Morning, or late the Evenings.

You

You may now also begin to *Inoculate.* *July Olit.*

Let such *Olitory* herbs run to seed as you would save.

Towards the latter end visit your *Vineyards* again, &c. and stop the exuberant *Shoots* at the second Joint above the *Fruit* (if not finished before;) but not so as to expose it to the *Sun*, without some umbrage.

Remove long sided *Cabbages* planted in *May*, to head in *Autumn*; 'tis the best *Cabbage* in the World. Remember to cut away all rotten and putrified Leaves from your *Cabbages*, which else will infect both *Earth* and *Air*.

Now begin to streighten the entrance of your *Bees* a little; and help them to kill their *Drones*, if you observe too many; setting the new-invented *Cucurbit-glasses* of *Beer* mingled with *Honey*, to entice the *Wasps*,
H 2 *Flies*,

July Obit.

Flies, &c. which waste your *store*.
 Also hang *Bottles* of the same
Mixture near your *Red Roman*
Nectarines, and other tempting
Fruits and *Flowers*, for their de-
 struction; else they many times
 invade your best *Fruit*. • Set
 • therefore up *Hoofs* of *Neats-*
feet for the *Earwigs*, and re-
 • member to cleanse and shake
 • them out at *Noon*, when they
 • constantly repair for *Shade*:
 • They are cursed *Devourers*;
 • nor ought you to be less diligent
 • to prevent the *Ants*, which a-
 • bove all invade the *Orange-*
flower, by casting scalding *Brine*
 • on their *Hills* and other *Re-*
ceptacles.

Look now also diligently un-
 der the *Leaves* of *Mural Trees*
 for the *Snails*; they stick com-
 monly somewhat above the
Fruit: Pull not off what is bit-
 ten; for then they will certainly
 begin afresh.

• Have

• Have still an eye to the weed- *July Obit.*
• *ing and cleansing* part ; begin
• the Work of *Hanghing* as soon
• as ever they begin to peep ;
• you will rid more in a few
• *Hóurs*, than afterwards in a
• whole Day ; whereas neglect-
• ing it till they are ready to
• sow themselves, you do but
• stir and prepare for a more nu-
• merous Crop of these *Garden-*
• *Sinns* : I cannot too often in-
• culcate and repeat it.

*Fruits in Prime, or yet
lasting.*

A P P L E S.

D *Emx-ans, Pepins, Winter
Ruffeting, Andrew Apples,
Cinnamon Apple, red and white
Juneting, the Margaret Apple, &c.*

H 3

P E A R S.

July Obit.

P E A R S.

The Primat, Russet Pears, Summer Pears, green Chesil Pears, Orange Pear, Cuisse Madame, Pearl Pear, &c.

C H E R R I E S.

Carnations, Morella, Great-bearer, Morocco Cherry, the Egriot, Bigarreaux, &c.

P E A C H E S.

Nutmeg, Isobella, Persian, Newington, Violet Muscat, Rambouillet.

P L U M S, &c.

Primordial, Myrobalan, the red, blue, and amber Violet, Damasc. Denny Damasc. Pear-Plum, Damasc. Violet, or Cheson-plum, Abri-cot-plum, Cinnamon-plum, the King's-plum, Spanish, Morocco-plum, Lady Eliz. plum, Fawny, Damascene, &c. Figs.

Rasberries, Gooseberries, Corinths, Strawberries, Melons, &c.

JULY

℞

JULY

Hath xxxi days, long 15^h—59^m

Sun rises 04^h—00^m Sets 08^h—01^m

To be done

In the *Parterre*, and *Flower-Garden*.

Slip *Stocks*, and other *lignous Plants* and *Flowers*. From henceforth to *Michaelmas* you may also lay *Gilly-flowers* and *Carnations* for *Increase*, leaving not above two or three *Spindles* for *Flowers*, and nipping off superfluous *Buds*, with *Supports*, *Cradles*, *Canes* or *Hoofs*, to establish them against *Winds*, and destroy *Earwigs*.

H 4

The

July Part.

The *Layers* (will in a *Month* or *six Weeks*) strike root, being planted in a *light loamy earth*, mixed with excellent *rotten Soil*, and *sifted*: Plant six or eight in a *Pot* to save *Room* in *Winter*: Keep them well from too much *Rains*; yet water them in drought, sparing the *Leaves*: If it prove too wet, lay your *Pots* side-long; but shade those which blow from the afternoon *Sun*, as in the former *Month*.

Yet also you may lay *Myrtles*, *Laurels*, and other curious *Greens*.

Water young planted *Shrubs* and *Layers*, &c. as *Orange Trees*, *Myrtles*, *Granades*, *Amomum* especially, which *Shrub* you can hardly refresh too often, and it requires abundant *Compost*; as do likewise both the *Myrtle* and *Grnade-Trees*; therefore whenever you trim their *Roots*, or change their *Earth*, apply the richest *Soil* (so it be sweet and well consum'd)

you

Note, that
the *Grade*
side flows
riches best
in *Earth*
not over-
rich.

you can to them, &c. Clip Box, *July Part.*
&c. in *Parterres*, *Knots*, and
Compartiments, if need be, and
that it grow out of order; do it
after Rain.

Graff by *Approach*, *Inarch*, and
Inoculate, *Jasmines*, *Oranges*, and
other your choicest *Shrubs*.

Take up your early autumnal
Cyclamen, *Tulips*, and *Bulbs* (if you
will remove them, &c.) before
mentioned; *Transplanting* them
immediately, or a *Month* after, if
you please, and then cutting off
and trimming the *Fibres*, spread
them to air in some dry place.

• But separate not the *Off-sets* of
• *Tulips*, &c. until the *Mother*
• *Bulb* be fully dry.

Gather *Tulip-seed*, if you please;
but let it lie in the *Pods*.

Gather now also your early
Cyclamen-seed, and sow it present-
ly in *Pots*.

Remove seedling *Crocus's* sow-
ed in *September* constantly at this
Season,

July Part. Season, placing them at wider Intervals, till they begin to bear.

Likewise you may take up some *Anemonies*, *Ranunculus's*, *Crocus*, *Crown Imper.* *Persian Iris*, *Fritillaria*, and *Colchicums*; but plant the three last as soon as you have taken them up, as you did the *Cyclamens*; or you may stay till *August* or *September* e'er you take them up, and replant *Colchicums*.

Remove now *Dens Caninus*, &c.

Take up your *Gladiolus* now yearly, the Blades being dry, or else their *Off-sets* will poison the Ground.

Latter end of *July*, treat your
Orange-trees, &c. as directed in
May, by refreshing the Surface
of the *Cases* to nourish and keep
the *Fruit* cool and in vigour.
Sift your *Beds* for *Off-sets* of *Tulips*, and all *Bulbous Roots*; also
for *Anemonies*, *Ranunculus's*, &c.
which will prepare it for replant-
ing with such things as you have
already

already in Pots to plunge, or set *July Part.*
in the naked Earth till the next
Season; as *Amaranths*, *Canna Ind.*
Mirabile Peruv. *Capsicum Ind.*
Nasturtium Ind. &c. that they
may not lie empty, and disfur-
nished.

You may sow some *Anemonies*,
keeping them temperately moist.

Continue to cut off the wither-
ed Stalks of your lower Flowers,
&c. and all others, covering with
Earth the bared Roots, &c.

Now (in the driest Season) with
Lime, *Brine*, *Pot. ashes*, (which is
the very best of all; because being
cast on fine Turf it destroys the
Worms, and improves the Graff,
which most other Applications
mortifie) and Water, or a De-
coction of *Tabacco Refuse*, water
your Gravel-walks, &c. to destroy
both Worms and Weeds, of which
it will cure them for some Years.

Kalendarium Hortense.

Flowers in Prime, or yet
lasting.

A Maranthus, Asphodel, Antirrhinum, Campanula, Clematis, Cyanus, Convolvulus, Sultana, Veronica purple and odoriferous; Digitalis, Eryngium Planum, Ind. Phaseolus, Geranium triste, Nocte Olens, and Creticum, Gladiolus, Gentiana, Hesperis, Nigella, Hedsarum, Fraxinella, Lychnis Chalcedon, Jacea white and double, Nasturt. Ind. Millefolium, Musk-rose, Flos Africanus, Thlaspi Creticum, Veronica mag. & parva, Volubilis, Balsam-Apple, Holy-hoc, Corn-flower, Alkekengi, Lupines, Scorpion-grass, Caryophyllata omn. gen. Stock-gilly-flower, Scabiosa, Mirab. Peru Spartum Hispan. Monthly Rose, Jasmine, Indian Tuberous Jacinth, Limonium, Linaria Cretica, Pansies, Prunella, Del-

Delp
ca Va
dine
Plin
Agn
gustr

Kalendarium Hortense.

99

Delphinium, Phalangium, Periplo- July Pass.
ca Virgin, Flos Passionis, Flos Car-
dinalis, Yucca, Oranges, Amomum
Plinii, Oleanders red and white,
Agnus Castus, Arbutus, Olive, Li-
gustrum, Tilia, &c.

AUGUST

Mk

AUGUST

Hath xxxi days, long—14^h—33^mSun rises 04^h—43^m Sets 07^h—17^m

To be done

In the Orchard, and Olitory.
Garden.

I *Noculate* now early, if before you began not, and gather your *Bud* of that Year. Let this Work be done before you remove the *Stocks*.

Prune off yet also superfluous *Branches* and *Shoots* of this *second Spring*; but be careful not to expose the *Fruit* without *Leaves*; sufficient to *skreen* it from the *Sun*; *furnishing* and *nailing* up what you

you will spare to cover the defects of your Walls. Continue yet to cleanse your Vines from exuberant Branches that too much hinder the Sun. Do this discreetly, lest the Fruit shrivel, being too much expos'd.

Pull up the Suckers.

Clip Roses now done bearing.

Sow Raddish, especially the Black, to prevent running up to seed, pale tender Cabbages, Cauliflower for Winter Plants, Corn-sallet, Marigolds, Lettuce, Carrots, Parsneps, Turneps, Spinage, Onions; also curl'd Endive, Angelica, Scurvy-grass, &c.

Strip, or tread-down Onions, and strip the Leaves of Beets, Carrots, Parsneps, &c. to improve the Roots.

Note, That if Plants run up to Seed over-hastily, (as they will be apt to do, being early sown, and the Weather hot) pull their Roots a little out of the

Aug. Ostr. • the Ground, and lay them along
• in it somewhat *slanting*, and clap
• some *Mould* about them.

• *Caully-flowers* over-speeding to
• *pome* and head (before they have
• quite perfected their Heads)
• should be quite eradicated, and
• may be buried in a *Cellar* or
• some cool place, both *Root* and
• *Stalk* up to the very *Head*, and
• so they will furnish goodly
• *Heads* without *Sun* or exposure
• abroad.

Likewise now pull up ripe *Oni-*
ons and *Garlic*, &c.

Towards the end sow *Purflan*,
Chard-beet, *Chervil*, &c.

Transplant such *Lettuce* as you
will have abide all *Winter*.

Gather your *Olitory-seeds*, and
clip, and cut all such *Herbs* and
Plants within one *handful* of the
Ground before the *Full*. Lastly,

Unbind, and release the *Buds*
you *inoculated*, if taken, &c. like-
wise stop and prune them.

• Pluck

• P
• exti
• pur
N
Bees
this
(by r
son)
ber:
light
Ma
Cider
the

Fr

T
ple;
Apple
snout.

- Pluck up *Strawberry Runners*, *Aug. Ovis.*
- extirpate the tall, *Stalks*, and
- purge the old *Tufts*, and *Leaves*.

Now *vindemiate*, and take your *Bees* towards the expiration of this *Month*; unless you see cause (by reason of the *Weather* or *Season*) to defer it till mid-*September*: But if your *Stocks* be very *light* and *weak*, begin the earlier.

Make your *Summer Perry* and *Cider*. • See *Discourse of Cyder* at the end of our *Pomona*.

Fruits in Prime, or yet
lasting.

A P P L E S.

THE *Ladies Longing*, the *Kirkham Apple*, *John Apple*; the *Seaming Apple*, *Cushion Apple*, *Spicing*, *May-flower*, *Sheeps snout*.

I

P E A R S.

P E A R S.

Windsor, Sovereign, Orange, Bergamot, Slipper Pear, Red Catherine, King Catherine, Denny Pear, Prussia Pear, Summer Poppering, Sugar Pear, Lording Pear, &c.

PEACHES and ABRICOTS.

Roman Peach, Man Peach, Quince Peach, Rambouillet, Musk Peach, Grand Carnation, Portugal Peach, Crown Peach, Bourdeaux Peach, Lavar Peach, Maudlen, Minion Peach, the Peach Des Pot, Savoy Malacoton, which lasts till Michaelmas.

NECTARINES.

The Muroy Nectarine, Tawny, Red Roman, little Green Nectarine, Cluster Nectarine, Yellow Nectarine.

PLUMS.

P L U M S.

*Imperial, Blue, White Dates,
Yellow Pear-plum, Black Pear-
plum, White Nutmeg, late Pear-
plum, Great Anthony, Turkey-plum,
the Jane-plum.*

Other Fruit.

*Cluster-Grape, Muscadine, Co-
rinths, Cornelians, Mulberries, Figs,
Filberts, Melons, &c.*

III

AUGUST

Hath xxxi days Long—14^h—33^mSun rises 04^h—43^m Sets 07^h—17^m

To be done

In the Parterre, and Flower-
Garden

Now (and not till now, if you expect success) is the just Season for the budding of the Orange-Tree: Inoculate therefore at the commencement of this Month, upon seedling Stocks of four Years growth. And to have excellent Buds, cut off the Head of some very old Orange-tree of a good kind, which making large Shoots, will furnish the best.

Now

Bul
ther
beel
color
and
and
F
hav
Roo
Seea
tran
Den
and
lish
stan
four
Y
and
such
the
cint
Lilli
G
C
Bulb

Now likewise take up your *Aug. Part.*

Bulbous Iris ; or you may sow their *Seeds*, as also those of *Larks-beel*, *Candy-tuffs*, *Columbines*, *Iron-colour'd Fox-gloves*, *Holly-hocks*, and such Plants as endure *Winter*, and the approaching *Seasons*.

Plant some *Anemony Roots* to have *Flowers* all *Winter*, if the *Roots* escape ; and take up your *Seedlings* of last Year, which now transplant for bearing : also plant *Dens Caninus*, *Autumnal Crocus*, and *Colchicum*s. Note, That *English Saffron* may be suffered to stand for increase to the *third* or *fourth* Year without removing.

You may now sow *Narcissus*, and *Oriental Jacinths*, and replant such as will not do well out of the *Earth* ; as *Fritillaria*, *Hyacinths*, *Martagon*, *Dens Caninus*, *Lillies*.

Gilly-flowers may yet be *slipp'd*.

Continue your taking up of *Bulbs*, dry them, and lay them

Aug. Part. up; Lillies, &c. of which before.

Gather from day to day your *Alaternus* Seed as it grows black and ripe, and spread it to sweat and dry before you put it up; therefore move it sometimes with a Broom or Whisk, that the Seeds clog not together, unless you will separate it from the Mucilage, for then you must a little bruise it wet; wash and dry them in a Cloth.

Water well your *Balsamine* *sem.*

Most other Seeds may now likewise be gathered from Shrubs, as you find them ripen.

About mid-August, transplant *Auricula's*, dividing old and lusty Roots; also prick out your Seedlings: They best like a loamy Sand, or light moist Earth; yet rich and shaded: You may likewise sow *Auricula*.

Now,

Now, towards the latter end, *Aug. Part.*
 you may sow *Anemony* Seeds, *Ranunculus's*, &c. lightly covered
 with fit Mould in Cases, shaded,
 and frequently refreshed: Also
Cyclamen, *Jacinths*, *Iris*, *Hepatica*,
Primroses, *Fritillaria*, *Martagon*,
Fraxinella, *Tulips*, &c. but with
 patience, for some of them; be-
 cause they flower not till three,
 four, five, six, and seven Years af-
 ter, especially the *Tulips*, unless
 you sow the Seeds so shallow
 that they cannot penetrate or
 sink above an Inch or two,
 which is a Secret: therefore dis-
 turb not their Beds (but hand-
 weed them) and let them be
 under some warm place, shaded
 yet, till the Heats are past, lest
 the Seeds dry; only the *Hepati-
 ca's* and *Primroses* may be sow'd
 in some less exposed Beds.

Now, about *Bartholomew-tide*,
 is the only secure Season for re-
 moving and laying your perennial

Aug. Part. Greens ; Oranges, Lemmons, Myrtles, Phillyreas, Oleanders, Jasmynes, Arbutus, and other rare Shrubs, as Pomegranades, Monthly. Roses, and whatever is most obnoxious to Frosts ; taking the Shoots and Branches of the past Spring, and pegging them down in very rich Earth, and Soil perfectly consum'd, watering them upon all occasions during the Summer ; and by this time twelve-month they will be ready to remove, transplanted in fit Earth, set in the shade, and kept moderately moist, not over-wet, lest the young Fibres rot ; after three Weeks set them in some more airy place, but not in the Sun, till fifteen days more : *Vide* our Observations in April, and May, for the rest of these choice Directions.

Flowers

Flowers in Prime, or yet
lasting.

A *Maranthus*, *Anagallis Lusitanica*, *Aster Attricus*, *Blattaria*, *Spanish Bells*, *Belvedere*, *Carnations*, *Campanula*, *Clematis*, *Cyclamen Vernal*, *Datura Turcica*, *Eliochryson*, *Eryngium planum* & *Amethystinum*, *Geranium Creticum*, and *Triste*. *Yellow Stocks*, *Hieracium minus* *Alpestre*, *Tuberoſe Hyacinth*, *Limonium*, *Linaria Cretica*, *Lychnis*, *Mirabile Peruvian*, *Yellow Millefolium*, *Nastur. Ind.* *Yellow Mountain Hearts-eaſe*, *Maracoc*, *Africanus Flos*, *Convolvulus's*, *Scabious*, *Aſphodils*, *Delphinium*, *Lupines*, *Colchicum*, *Leucoion*, *Autumnal Hyacinth*, *Holly-hock*, *Star-wort*, *Heliotrop*, *French Marigold*, *Daiſies*, *Geranium nocte olens*, *Common Pansies*, *Larks-keels* of all colours,

Aug. Part. Iours, *Nigella*, *Helleborus*, *Balsamin. sem.* *Lobel's Catch-fly*, *Thlaspi Creticum*, *Rosemary*, *Musk Rose*, *Monthly Rose*, *Oleanders*, *Spanish Jasmine*, *Yellow Indian Jasmine*, *Myrtles*, *Oranges*, *Pomegranads* double and single *Flowers*, *Shrub Spirea*, *Agnus Castus*, the *Virginian Martagon*, *Malva arborescens*, &c.

S E P.



SEPTEMBER

Hath xxx days, long 12^h-37^m

Sun rises 5^h-41^m Sets 6^h-19^m

To be done

In the Orchard, and Olitory
Garden.

GAther now (if ripe) your *Winter-Fruits*, as *Apples*, *Pears*, *Plums*, &c. to prevent their *falling* by the great *Winds*: Also gather your *Wind-falls* from day to day: Do this Work in *dry Weather*.

Release Inoculated *Buds*, or sooner, if they pinch. You may yet Inoculate *Peaches*.

Sow

Sept. Obit.

Sow Lettuce, Radish, Spinage,
 Chervil, Parsneps, Skirrets, &c.
 Caully-flowers, Cabbages, Onions,
 &c. Scurvy-grass, Anniseeds, &c.
 • And fill your vacant Beds with
 • Sallading, this Month and the
 • next.

Now you may transplant most
 sorts of Esculent or Physical
 Plants, &c.

Also Artichokes and Asparagus-
 roots. • See Disc. of Earth, p. 137.
 • and in Fol. p. 222.

Sow also Winter Herbs and
 Roots, and plant Strawberries out
 of the Woods: • Set them a Foot
 • or more asunder.

• Bind-up, and blanch Sellery,
 • Chardon, &c. but tie not up in
 • wet Weather.

Towards the end earth up
 your Winter-plants and Sallad-
 herbs; and plant forth your
 Caully-flowers and Nursery Cab-
 bages • under Shelter, for Winter-
 • store, which were sown in Au-
 gust:

gust: • Prepare Compost, see Ja. Sept. Olisty
• nuary; and for Trenching and
• Preparing the Earth: See Dis-
• course of Earth, p. 34.

No longer now defer the ta-
king of your Bees, streightning
the entrances of such Hives as
you leave to a small passage, and
continue still your hostility a-
gainst Wasps and other robbing
Insects.

Cider-making continues.

Fruits in Prime, or yet
lasting.

A P P L E S

THE *B. Bonne*, the *William*,
Summer *Pear-maln*, *Lord-*
ing-apple, *Pear-apple*, *Quince-apple*,
Red-greening ribb'd, *Bloody Pepin*,
Harvey, *Violet-apple*, &c.

P E A R S.

P E A R S.

Hamden's Bergamot (first ripe),
Summer Bon Chrestien, *Norwich*,
Black Worcester (baking,) *Green-*
field, *Orange*, *Bergamot*, the *Queen*
Hedge-pear, *Lewis-pear* (to dry
 excellent) *Frith-pear*, *Arundel-*
pear (also to bake,) *Brunswick-*
pear, *Butter pear*, *Winter Poppe-*
ring, *Bing's-pear*, *Bishop's pear*
 (baking,) *Diego*, *Emperour's-pear*,
Cluster-pear, *Messire Jean*, *Rowl-*
ing-pear, *Balsam-pear*, *Bezy d' Hery*,
Pear Evelyn, &c.

P E A C H E S, &c.

Violet Peach, *Admirable*, *Purple*
Peach, *Malacoton*, and some o-
 thers, if the Year prove back-
 wards.

Almonds, &c.

Quinces.

Figs perfectly ripe.

Little

Little Blue Grape, Muscadine- *Sept. ONT.*
Grape, Frontiniac, Parsly, great
Blue Grape, the Verjuice-grape ex-
cellent for Sauce, &c.

Barberries, &c.

Melons as yet.

SEP-



S E P T E M B E R

Hath xxx days, long—12^h—37^m

Sun rises 05^h—41^m Sets 06^h—19^m

To be done

In the Parterre, and Flower-
Garden.

PLant some of all the sorts of *Anemonies* in good, & rich natural Earth, especially the *Latifol.* after the first *Rains*, if you will have *Flowers* very forwards; but it is surer to attend till *October*, or the *Month* after, lest the over-moisture of the *Autumnal* Seasons give you cause to repent.

Now is the most proper Season to sow *Auricula-seeds*, setting
the

the
See
E
Tul
the
ven
Bul
chic
A
patie
Also
Viole
be t
Chal
N
to fo
you
Iris,
Tulip
tufts
the
paire
So
mov
plan
begin

the Cases in the Sun till April : Sept. Part.
See April.

Begin now also to plant some *Tulips*, unless you will stay till the latter end of *October*, to prevent all hazard of rotting the *Bulbs*. Plant *Daffodils* and *Colchicum*.

All *Fibrous* Plants, such as *Hepatica*, *Hellebore*, *Camomile*, &c. Also the *Capillaries*; *Matricaria*, *Violets*, *Primroses*, &c. may now be transplanted; as likewise *Iris Chalcedon*, *Cyclamen*, &c.

Now you may also continue to sow *Alaternus*, *Phillyrea*, (or you may forbear till the Spring) *Iris*, *Crown Imperial*, *Martagon*, *Tulips*, *Delphinium*, *Nigella*, *Candytufts*, *Poppy*; and generally all the *Annuals* which are not impaired by the *Frosts*.

Sow *Primroses* likewise: Remove seedling *Digitalis*, and plant the Slips of *Lychnis* at the beginning.

K

Your

Sept. Part.

Your *Tuberoses* will not endure the Wet of this *Season*, therefore set the *Pots* (• having laid them • sidelong to *drain*) into your *Conserve* , and keep them very dry. It is best to take them out of the *Pots* about the beginning of this *Month*, and either to preserve them in dry *Sand*, or wrap them up in *Papers* , and so put them in a Box near the Chimney.

Bind now up your *Autumnal Flowers* and *Plants* to *Stakes*, to prevent sudden *Gusts* which will else prostrate all you have so industriously raised.

Now you may take off *Gilly-flower-layers* with Earth and all, and plant them in *Pots*, or *Borders* shaded.

Crocus will now be rais'd of *Seeds*.

• You may yet transplant *Ever-greens*, and other rare *Shrubs* of • the last Month.

Prune

Prune *Pines* and *Firrs* a little after this *Æquinox*, if you omitted it in *March*, (much the better Season.) Vide *March*.

About *Michaelmas* (sooner or later, as the *Season* directs) the Weather fair, and by no means foggie, retire your choice *Greens* and rarest *Plants* (being dry) as *Oranges*, *Lemmons*, *Indian* and *Spanish Jasmine*, *Oleanders*, *Barba Jovis*, *Amomum* Plin. *Citysus Lunatus*, *Chamelæa tricoccus*, *Cistus Ledon Clusii*. *Dates*, *Aloes*, *Sedums*, &c. into your *Conservatory*; ordering them with fresh *Mould*, as you were taught in *May* and *July*, viz. taking away some of the upmost exhausted *Earth*, and stirring up the rest, fill the *Cases* with rich and well-consumed *Soil*, to wash in and nourish the *Roots* during *Winter*; but as yet leaving the *Doors* and *Windows* open, and giving them free *Air*, so the *Winds* be not sharp and high,

Sept. Part. nor Weather foggie ; do thus till the Cold being more intense, advertise you to inclose them altogether: Myrtles will endure abroad near a Month longer.

The Cold now advancing, set such Plants as will not endure the House, into the Earth ; the Pots two or three Inches lower than the surface of some Bed under a Southern exposure : Then cover them with Glasses, having cloathed them first with sweet and dry Moss ; but upon all warm and benign emissions of the Sun and sweet Showers, give them Air, by taking off all that covers them. Thus you shall preserve your costly and precious *Marum Syriacum*, *Cistus's*, *Geranium nocte olens*, *Flos Cardinalis*, *Marcocs*, seedling *Arbutus's* (a very hardy Plant when greater) choicest *Ranunculus's* and *Anemonies*, *Acacia Ægypt.* &c. Thus governing them till April. Secrets not till now divulged.

Note,

Note, That *Cats* will eat and Sept. Page.
destroy your *Marum Syriacum*, if
they can come at it; therefore
guard it with a *Furse* or *Holy-*
branch.

Flowers in Prime, and yet
lasting.

A *Maranthus tricolor*, and o-
thers; *Anagallis* of Portu-
gal, *Antirrhinum*, *African flo.* *A-*
momum Plinii, *Aster Atticus*, *Bel-*
vedere, *Bellis*, *Campanula's*, *Colchi-*
cum, *Autumnal Cyclamen*, *Clematis*,
Chrysanthemum angustifol. *Eupato-*
rium of Canada, *Sun-flower*, *Stock-*
gil. flo. *Geranium Creticum* and
nocte olens, *Gentianella annual*, *Hie-*
racion minus Alpestre, *Tuberous In-*
dian Jacinth, *Linaria Cretica*,
Lychnis, *Constant. single and dou-*
ble, *Limonium*, *Indian Lilly*, *Nar-*
ciss. Pomum Aureum, *Amoris*, &
Spinofum Ind. *Marvel of Peru*,

Sept. Part. *Millefolium* yellow, *Moly* *Monf-*
pelienf. *Nasturtium Indicum*, *Per-*
sian Autumnal Narcissus, *Virginian*
Phalangium, *Indian Phaseolus*,
Scarlet Beans, *Convolvulus divers.*
gen. *Candy-tufts*, *Veronica*, purple
Volubilis, *Asphodil*, *Crocus*, or Eng-
lish Saffron, *Garnsey Lilly*, or *Nar-*
cissus of *Japan*, *Poppy* of all co-
lours, single and double, *Malva*
arborescens, *Indian Pinks*, *Æthio-*
pick Apples, *Capsicum Ind.* *Gilli-*
flowers, *Passion Flower*, *Datura*
double and single, *Portugal Ra-*
nunculus's, *Spanish Jasmine*, *yel-*
low Virginian Jasmine, *Rhodo-*
dendron white and red, *Oranges*,
Myrtles, *Balaustia*, *Musk Rose*,
and *Monthly Rose*, &c.

OCTO.

M

OCTOBER

Hath xxxi days, long 10^b—47^m

Sun rises 06^b—26^m Sets 05^h—24^m

To be done

In the Orchard, and Olitory.
Garden.

Trench Grounds for Orchard-
ing, and the Kitchen garden,
to lie for a Winter mellowing.
• See *Disc. of Earth*, p. 51. Finish
• what you begun the last Month.

Plant dry Trees, (i.) Fruit of
all sorts, Standard, Mural, or
Shrubs which lose their Leaf;
and that so soon as it falls: But
be sure you chuse no Trees for
the Wall of above two Years

K 4

Graf-

off. Olig. *Graffing* at the most, *sound* and *smooth*. • See *Disc. of Earth*, p. 134. and *Pomona*, cap. 6.

Now is the time for *Ablaqueation*, and laying bare the *Roots* of old *unthriving*, or *over-hastily blooming Trees*; • stirring up • new planted *Grounds*, as directed in *March*.

Moon now *decreasing*, gather *Winter-fruit* that remains, weather dry; take heed of *bruising*; lay them up *clean*, lest they *taint*: *Cut*, and *prune Roses* yearly, reducing them to a *Standard* not over tall.

• To prevent *bruising* by *Wind-falls* and *Gusts* now usually happening, lay some sweet *Straw* under your *Fruit-trees*.

Plant, and *Plash Quick-sets*.

Remove *Graffs* after the second Year, unless *Dwarfs*, which you may let stand till the third.

Save, and sow all *stony* and *hard Kernels* and *Seeds*; such as
black

black Cherry, Morellos, black Heart, all good; Pear-plum, Peaches, Almond-stones, &c. Also Nuts, Haws, Ashen, Sycamore, and Maple Keys; Acorns, Beech-mast, Apple, Pear, and Crab Kernels for Stocks; or you may defer it till the next Month towards the latter end, keeping them dry, and free from mustiness; remembering to cover the Beds with Litter. See Directions in our Sylva for Forest-trees, and Pomona, cap. 1.

You may yet sow Genoa Lettuce, which will last all the * Winter, Radish, &c. Make Winter Cider and Perry: Towards the later end, plant Abricots, Cherries, Plums, Vines, Winter Pears, &c.

* Especially under Glasse bells, or Frames, with a little Straw over them, when the hard Frosts come; but when touch them not till they show, lest you break the Glasses.

*Fruits in Prime, or yet
laſting.*

A P P L E S.

Belle-et-Bonne, William, Co-
ſtard, Lording, Parsley-ap-
ples, Pearmain, Pear-apple, Ho-
ney-meal, Apis, &c.

P E A R S.

The Caw-pear (baking) Green-
butter-pear, Thorn-pear, Clove-pear,
Rouſſel-pear, Winter Bon-Chre-
ſtien, Town-pear, Lombart-pear,
Ruſſet-pear, Saffron-pear, and ſome
of the former Month, Violet pear,
Petworth-pear, otherwiſe called
the Winter-Windſor, Lauſac, Bearn-
pear, Admirable, Violet Peach, Ram-
boullet, Paves, &c.

Bullis, and divers of the Sep-
tember Plums, the Chaſſelas, and
other Grapes, Pines, Arbutus, &c.

OCTOBER



OCTOBER

Hath xxxi days, long—10^h—47^m

Sun rises 06^h—26^m Sets 05^h—24^m

To be done

In the Parterre, and Flower-
Garden.

NOW your *Narcissus Tuberosa* not enduring the *wet*, must be set into the *House*, and preserved very *dry* till *April*. • See • *September*.

Continue *sowing* what you did in *September* if you please: Likewise *Cypress* may be sown, but take heed of the *Frost*, • there-
• fore forbear much *Clipping*.
Vide Mar. Also,

You

Off. Part.

You may plant some *Anemones*, especially the *Tenuifolia's*, and *Ranunculus's* in fresh, sandish Earth, taken from under the Turf, but lay richer Mould at the bottom of the Bed, which the *Fibres* may reach, but not to touch the main *Roots*, which are to be cover'd with the natural Earth two Inches deep: and so soon as they appear, secure them with *Mats* or dry *Straw*, from the *Winds* and *Frosts*, giving them air in all benign *Intervals*, if possible once a day.

Plant also *Ranunculus's* of *Tripoly*, *Vernal Crocus's*, &c. Remove seedling *Holly-hocks*, or others.

Plant now your choice *Tulips*, &c. which you feared to interre at the beginning of *September*; they will be more secure, and forward enough: but plant them in natural Earth somewhat impoverished with very fine Sand; else they will soon lose their
variegations;

variegations ; some more *rich* off. *Part.*
Earth may lie at the *bottom*,
within reach of the *Fibres* (as
above :) Now have a care your
Carnations catch not too much
wet ; therefore retire them to *co-*
vert , where they may be kept
from the *Rain*, not the *Air*, or
lay them on the *sides*, trimming
them with *fresh Monld.*

All sorts of *Bulbous Roots* may
now also be safely *buried* ; like-
wise *Iris's*, &c.

You may yet sow *Alaternus*
and *Phillyrea* Seeds : It will now
be good to *Beat*, *Roll*, and *Mow*
Carpet Walks and *Camomile* ; for
now the *Ground* is *supple* , and
it will *even* all *Inequalities*. Fi-
nish your last *Weeding*, &c.

Sweep, and cleanse your *Walks*,
and all other *Places*, from *Autum-*
nal Leaves fallen, lest the *Worms*
draw them into their *Holes*, and
foul your *Gardens*, &c.

Flowers in Prime, or yet
lasting.

A *Maranthus tricolor*, &c. After
Atticus, *Amomums*, *Antir-*
rhinum, *Colchicum*, *Saffron*, *Cycia-*
men, *Clematis*, *Heliotrops*, *Stock-*
gilly-flo. *Geranium triste*, *Ind. Tu-*
berose Jacinth, *Limonium*, *Lychnis*
white and double, *Pomum Amoris*
and *Æthiop.* *Marvel of Peru*,
Millefol. luteum, *Autumnal Narciss.*
Pansies, *Aleppo Narciss.* *Spherical*
Narciss. *Nasturt.* *Persicum*, *Gilly-*
flo. *Virgin Phalangium*, *Pilosella*,
Violets, *Veronica*, *Arbutus*, *Span.*
Jasmine, and yellow *Ind. Jasmine*,
Monthly Rose, *Oranges*, *Myrtles*,
Balaustor, *Pomegranade.*

NOVEM-



NOVEMBER

Hath xxx days, long— 08^h-52^m

Sun rises 07^h-34^m Sets 04^h-26^m

To be done

In the *Orchard*, and *Olitory-Garden*.

CARRY *Compast* out of your *Melon-ground*, or turn, and mingle it with the *Earth*, and lay it in *Ridges* ready for the *Spring*: Also *trench*, and fit Ground for *Artichoaks*, &c. • See *Disc.* of *Earth*, p. 136, 137. and *Fol.* 322.

• The *Hot-bed* must now supply
• for *Sallads*, young *Lettuce*, *Cresses*, *Chervil*, &c. and trust not to
• the accidental Mildness of the
Weather,

Nov. Obit.

• Weather, so as to neglect time-
 • ly Cover to your tender Oli-
 • vories: Shelter *Fig-trees*. Plant
 • also *Gooseberries*, *Raspis*, *Corinths*,
 • and other *Shrub Fruit*.

• Note, That the *Leaves* fallen
 • in the *Woods*, may supply for
 • *Long-dung*, laid about *Artichocks*
 • and other things, even to the
 • end of *March*.

Continue your *Setting* and
Transplanting of *Trees*; lose no
 time, hard *Frosts* come on apace:
 Yet you may lay bare old *Roots*:
 • (*Disc. of Earth*, p. 139.)

• Remember in all *Transplant-*
 • *ings* to observe the former *A-*
 • *spect* and *Quarter* of the *Com-*
 • *pass*; as of much *importance*,
 • whatever some fancy: Nor set
 • any deeper than it stood, esta-
 • blishing it against *Winds*: You
 • cannot plant too early in *Aut-*
 • *umn*, Wind *South* or *West*.

• To Sow moderately dry,
 • Plant moist, a general Rule:
 • but

• but cover not too thick with *Nov. Olla.*
• Earth what you sow, for Na-
• ture covers nothing: You can-
• not sow too shallow, so you
• preserve the Seed from *Birds.*

Plant young Trees, *Standards,*
or *Mural.* See *Disc. of Earth,*
• p. 123.

Furnish your *Nursery* with
Stocks to graff on the following
Year.

• Prepare now *Stocks* for all
• sorts of *Fruit*: The proper ones
• are, the *Crab-stock* for *Standards*:
• For *Dwarfs*, *Stocks* of the *Para-*
• *dise* or sweet *Apple-kernel*, which
• are likewise to be had from
• *Layers* and *Suckers*. *Pears*, on
• the *Pear-kernel Stock*, or *Sucker*:
• *Dwarfs*, on the *Suckers* of the
• *Portugal Quince.*

• *Cherry Standards*, on the *Black*
• *Cherry-stone Stock*; *Dwarfs* for
• *Walls* or *Palisades*, &c. on the
• *Morello Stock*, *Black Heart*, or
• *small, bitter, early Cherry-stock.*

L

• *Peaches,*

Nov. Olit.

• *Peaches*, inoculate on the
 • *Peach* or *Plum-stock*: If you
 • *Bud* upon the *Almond*, let it
 • be on a *Stock* which has never
 • been removed, and so continue.
 • But the best way to prepare
 • these *Stocks*, see in *M. de la*
 • *Quintine's Compleat Gard'ner*,
 • *Vol. 2. Part 6. pag. 172.* too long
 • here to be inserted.

• *Nectarines*, on *Peach*, or *Pear-*
 • *plum Stocks*.

• *Abricots*, on the *White Pear-*
 • *plum Stock*.

• *Plums*, on *Plum-stocks*: The
 • *White* and *Black* *Pear-plum*
 • *Stock* are best, and from the
 • *Stones* of *Damsons*, and may
 • all be gotten also from their
 • *Suckers*.

• Graff the *Medlar* on the
 • *White-thorn* or *Quince-Stock*,
 • near the *Ground*, it will bear
 • the second Year.

• *Figs*, and *Mulberries* will be
 • propagated by their *Suckers*,
 • *Cuttings*,

• *Cutting, and Layers* ; of all which, *Nov. Oly.*
• see our *Treatise of Earth*, for
• their Culture in the *Nursery*.

• Sow and set early *Beans* and
• *Pease* till *Shrovetide* ; and now
lay up in your *Cellars* for *spending*,
and for *Seed*, to be trans-
planted at *Spring*, *Carrots*, *Par-
sneps*, *Turneps*, *Cabbages*, *Caully-
flowers*, &c.

Cut off the *Tops* and *Stalks* of
Asparagus, and cover it with *long
Dung*, or make *Beds* to plant in
Spring, &c.

Now, in a *dry* day, gather your
last *Orchard-fruits*.

Take up your *Potatoes* for
Winter spending ; there will e-
nough remain for *Stock*, though
never so exactly gathered.

• *Ablaqueation* now profitable,
• and to visit the *Roots* of old
• *Trees*, purge the sickly, and
• apply fresh *Mould*. Cover also
• your most delicate *Stone-fruit*
• and *Murals*, skreening them
• with

Nov. Obit. • with *Straw-burdles*, as long as
 • the *East* and *Northern Winds*
 • continue, even to the end of
 • *March*, to be sure of *Fruit*.
 • Stand therefore not so much
 • upon the *Beauty*, as for its *Pre-*
 • *servation* and *Production*.

Fruits in Prime, or yet
lasting.

A P P L E S.

THE *Belle-bonne*, the *Wil-*
liam, *Summer Pearmain*,
Lording-apple, *Pear-apple*, *Car-*
dinal, *Winter Chestnut*, *Galvil*,
Shortstart, &c. and some other
 of the former two last Months, &c.

P E A R S.

Messire Jean, *Lord-pear*, long
Bergamot, *Warden* (to bake),
Burnt-cat, *Sugar-pear*, *Lady-pear*,
Amadot, *Ambnet*, *Ice-pear*, *Dove-*
pear, *Virgoule*, *Deadman's-pear*,
Winter Bergamot, *Bell-pear*, &c.
Arbutus, *Bullis*, *Medlars*, *Ser-*
vices.

NO.



NOVEMBER

Haith xxx days, long—08^h—52^m

Sun rises 07^h—34^m Sets 04^h—26^m

To be done

In the *Parterre*, and *Flower-Garden*.

Sow *Aricula* Seeds thus; prepare very rich *Earth*, more than half *Dung*; upon that sift some very light *sandy Mould*, and the *Earth* gotten out of old hollow *Willow-trees*; and then sow: Set your *Cases* or *Pans* in the *Sun* till *March* or *April*.

Cover your peeping *Ranunculus's*, &c. And see the Advice in *March* for *Ever-green Seedlings*;

L 3

especially

Nov. Part. especially if long *Snows* and bitter *Winds* be feared ; • prepare • therefore store of *Coverings*.

Now is your best *Season* (the *Weather open*) to plant your fairest *Tulips* in places of *shelter*, and under *Espaliers* ; but let not your *Earth* be too rich : *Vide October*. Transplant ordinary *Jasmine*, &c.

About the *middle* of this *Month* (or sooner, if *Weather* require) quite *enclose* your tender *Plants*, and *perennial Greens*, *Shrubs*, &c. in your *Conservatory*, secluding all entrance of *Cold*, and especially sharp *Winds* ; and if the *Plants* become exceeding *dry*, and that it do not actually *freeze*, refresh them sparingly (See *April*) with *qualified Water* (i. e.) mingled with a little *Sheeps* or *Cow-dung* : If the *Season* prove exceeding piercing (which you may know by the *freezing* of a *Dish* of *Water*, or moistned

moistned Cloth, set for that purpose in your *Green-house*) kindle some *Charcoals*, and when they have done smoaking, put them in a *Hole* sunk a little into the *Floor* about the middle of it; unless your *Green-house* have a *subterranean Stove*, which moderately, and with judgment tempered, is much to be prefer'd: In the mean time I could wish that some *Curious Person* would make trial of what we have describ'd at the end of this *Kalendar*, pag. 153. At all other times, when it does not actually freeze, or the Weather not *Rainy* or *Misty*, and that the *Air* is warm'd by the *Beams* of a fine *Day*, (and the *Sun* darts full upon the *House*, without the least *Wind* stirring) shew them the *Light* through the *Glass-windows*, (for *Light* is half their *Nourishment* *Philosophically* consider'd); but inclose them again

L 4

before

Nov. Part.

• before the *Sun* be gone off,
 • if it be inclin'd to *Frost*, other-
 • wise keep open-House all Night
 • long.

• *Note*, That when through
 • continuance of hard and sharp
 • Weather, *houſed* Trees grow
 • tainted with Mustiness, make
 • fire in your *Stove*, and open all
 • the *Windows* from *Ten* in the
 • Morning, till *Three* Afternoon:
 • Then closing the Double-shuts,
 • (or *Chasses* rather) continue a
 • gentle Heat, renewing the *Fire*
 • at *Night* only.

Note, That you must never
 give your *Aloes* or *Sedums* one
 drop of *Water* during the whole
Winter: And indeed, you can
 hardly be too sparing of *Water*
 to your *houſ'd* Plants (*Orange-*
trees especially;) the not obser-
 ving of *this*, destroys more Plants
 than all the Rudenesses of the
Season. To know when they
 want refreshing, consider the

Leaves;

Leaves; if they shrivel and fold Nov. Part.

up, give them *Drink*; if pale and whitish, they have already too much; and the defect is at the *Roots*, which are in peril of rotting, and require larger *Cases*.

Take also this for a Rule, That you are not much to regard the surface Mould alone, which will oftentimes be Dust, when the Earth about the *Roots* is sufficiently moist; search it therefore, by thrusting down your Hand; and as you find it, govern the watering; for in this Secret of seasonably Refreshing, consists the Health and even Life of all your Hous'd Curiosities.

Note, That Water made over-rich with *Dung*, and too frequently us'd, is apt to Infect the *Orange-leaves*, and those of other rare Plants, with a black Smut, which must be wiped off.

If your *Aloes* grow manifestly too dry, expose them a while to the

Nov. Part. the *Air*, when clear, 'twill immediately recover them; but give them not a drop of *Water*, how dry soever their *Pots* be.

House your choicest *Carnations*, or rather set them under a *Pent-house* against a South-wall, so as a *Covering* being thrown over them to preserve them in extremity of *Weather*, they may yet enjoy the freer *Air* at all other times.

Prepare also *Matrasses*, *Boxes*, *Cases*, *Pots*, &c. for shelter to your tender *Plants* and *Seedlings* newly sown, if the *Weather* prove very bitter.

Plant *Roses*, *Althea frutex*, *Lalac*, *Syringas*, *Cytisus*, *Paeonies*, &c.

Plant also *Fibrous Roots*, specified in the precedent *Month*.

Sow also *stony Seeds* mentioned in *October*.

Plant all *Forest-trees* for *Walks*, *Avenues*, and *Groves*.

• Note, That you may trans-
• plant

• plant not only any *Fruit-trees*, Nov. Part.
 • but remove almost any of the *For-*
 • *esters*, even in the midst of *Sum-*
 • *mer*, if taking the *Trees* up with
 • some Mould about the *Roots*, you
 • immediately plunge them into
 • *Earth* made into a *Pap* like *Mor-*
 • *tar*, keeping it *fresh* and under
 • *shade*, and not suffering the
 • *Ground* quite to dry up and
 • harden till *Rain* comes down.

Sweep and cleanse your *Garden-*
walks, and all other places, from
Autumnal Leaves, the last time.

Flowers in Prime, or yet
lasting.

A *Nemonies*, *Meadow Saffron*,
Antirrhinum, *Stock-gilly-*
flow. *Bellis*, *Clematis*, *Pansies*, some
Carnations, double *Violets*, *Veroni-*
ca, *Spanish* and *Indian Jasmine*,
Myrtles, *Musk Rose*, &c.

DECEM-

13

DECEMBER

Hath xxxi days, long—07^h—40^m
Sun rises 08^h—10^m Sets 03^h—50^m

To be done

In the Orchard, and Olitory-
Garden.

P *Rune*, and nail *Wall-fruit*,
(which yet you may better
defer a *Month* or two longer)
and *Standard-trees* that are hardy.

You may now plant *Vines*, &c.
• See *Disc. of Earth*, p. 136.

Also *Stocks* for *graffing*, &c.

Sow, as yet, *Pomace* of *Cider-
pressings* to raise *Nurseries*; and
set all sorts of *Kernels*, *Stones*,
&c.

Sow

Sow for early Beans and Pease, Du. Olis. but take heed of the Frosts; therefore surest to defer it till after Christmas, unless the Winter promise very moderate.

• Expect no fresh Sallad but
• from your Hot-bed: See how
• to make it, and to force Aspa-
• ragus, in M. de la Quintine, vol.
• 2. part 6. pag. 169, 181.

• All this Month you may continue to Trench Ground, and dung it, to be ready for Borders, or the planting of Fruit-trees, &c.
• See the Note in January.

Either late in this Month, or in January, prune, and cut off all your Vine-shoots to the very Root, save one or two of the stoutest, to be left with three or four Eyes of young Wood. This for the Vine-yard.

Now feed your weak Stocks.
Turn, and refresh your Autumnal Fruit, lest it taint, and open the Windows where it lies, in a clear and serene Day. Fruits

Dec. Olib.

Fruits in Prime, or yet
lasting.

APPLES.

Rouffeting, Pepins, Leather-
coat, Winter Reed, Chestnut
Apple, Apis, Fennel Apple, Great-
belly, the Go-no-further, or Cats-
head, with some of the precedent
Month.

PEARS.

The Squib-pear, Spindle-pear,
Doyonere, Virgin, Gascoigne-Bergo-
mot, Scarlet-pear, Stopple-pear, Ver-
goules, Portail, white, red, and
French Wardens, (to bake or
roast) &c. the Dead-man's Pear,
excellent, &c.

DE

13

DECEMBER

Hath xxxi days, long 07^h—40^m

Sun rises 08^h—10^m Sets 03^h—50^m

To be done

In the Parterre, and Flower-
Garden.

AS in January, continue your
hostility against *Vermine*.

Preserve from too much *Rain*
and *Frost*, your choicest *Anemo-*
nies, *Ranunculus's*, *Carnations*, &c.

Be careful now to keep the
Doors and *Windows* of your *Con-*
servatories well matted and guard-
ed from the piercing *Air*: for
your *Oranges*, &c. are now put
to the test. Temper the cold
with

Do, Part. with a few Charcoal governed as directed in November; but never accustom your Plants to it, unless the utmost severity of the Season require; therefore, if the Place be exquisitely close, they will even then hardly require it, &c.

Set Bay-berries, &c. dropping ripe.

Look to your Fountain-Pipes, and cover them with fresh and warm Litter out of the Stable, a good thickness, lest the Frosts crack them; remember it in time, and the Advice will save you both Trouble and Charge.

Flowers in Prime, and yet lasting.

A Nemonies some, Persian and Common Winter Cyclamen, Antirrhinum, Black Hellebore, Laurus tinus, single Primraser, Stock gilly-flo. Iris Clusii, Snow-flowers or drops, Yucca, &c.

For

FOr by such a *Kalendar* it is, that a *Royal Garden* or *Plantation* may be contrived according to my Lord *Verulam's* Design, *pro singulis Anni Mensibus*, for every *Month* of the *Year*.

But, because it is in this *cold Season* that our *Gard'ner* is chiefly diligent about preserving his more *tender*, *rare*, *exotick*, and *costly Shrubs*, *Plants*, and *Flowers*; We have thought fit to add the *Catalogue*, as it is (much after this sort) *collected* to our *Hands*, by the *Learned* and *Industrious Doctor Sharrock* (though with some *Reformation* and *Improvement*) of all *such*, as according to their different *Natures* do require *more*, or *less* indulgence: And these we have distributed likewise into the *three following Classes*.

M I. CLASSE.

I. CLASSE.

Being least patient of Cold,
and therefore to be first set
into the Conservatory, or
other ways defended.

A *Cacia Ægyptiaca*, *Aloe American.* *Amaranthus tricolor*, *Aspalathus Cret.* *Balsamum*, *Helichryson*, *Chamelæa tricoccus*, *Nasturtium Indicum*, *Indian Narcissus*, *Ornithogalon Arab.* *Ind.* *Phaseol.* *Capsicum Ind.* *Pomum Æthiop.* *Aureum*, *Spinosum*; Summer Sweet Majoran, the two Marums Syriac. &c. *Dactyls*, *Pistacio's*, the great Indian Fig, Lylac flo. Alb. *Lavendula Multif.* *Clus.* *Cistus Ragusæ* flo. alb. *Colutea Odorata*, *Cretica*, *Narcissus Tuberosus*, *Styrax Arbor*, &c.

II. CLASSE.

II. CLASSE.

Enduring the second Degree of Cold, and accordingly to be secured in the Conservatory.

A *Momum Plinii*, *Carob*. *Chamelea Alpestris*, *Cistus Ledon* Clus. *Citron*, *Vernal Cyclamen*, *Summer Purple Cyclamen*, *Digitalis*, *Hispan. Geranium triste*, *Hedysarum Clypeatum*, *Aspalathus Creticus*, *Spanish Jasmine*, *Virgin. Jasmine*, *Susa Iris*, *Jacobæa Marina*, *Alexandrian Laurel*, *Oleanders*, *Limonium elegans*, *Myrtles*, *Oranges*, *Lentiscus*, *Levantine tufted Narcissus*, *Gill. flo.* and choicest *Carnations*. *Phalangium Creticum*, *Asiatic double and single Ranunculus's*, *Narcissus of Japan*, *Cytisus rub.* *Canna Indica*, *Thymus Capitatus*, *Verbena nodi flo. Cretica*, &c.

M 2 III. CLASSE.

III. CLASSE.

Which not perishing but in
excessive Colds, are there-
fore to be last set in ; or
rather protected under Mat-
trasses, and slighter Cover-
ings, abroad in the Earth,
Cases, Boxes, or Pots, &c.

A *Brotonum mas. fæm.* Winter
Aconite, *Adiantum Verum*,
Bellis Hispan. *Calceolus Mariæ*, *Cap-*
paris, *Cineraria*, *Cneorum Matthio-*
li, *Cytisus Maranthæ*, rub. *Lunatus*,
Eryngium plannu totum cæruleum,
Fritillaria Mont. *Genista Hispan.*
flo. alb. *Pomegranads*, *Orient.* *Ja-*
cinth, *Bulbous Iris*, *Laurels*, *Cherry*
Laurel, *Lychnis* double white,
Matricaria double flo. *Olives*,
Pancration, *Papaver spinosiss.* *Mar-*
s oc. *Rosemary*, *Sisynrichium*, *Tur-*
pentine-

pentine-tree, Teuchrinummas, Tithymal. Myrtifol. Veronica doub. flo. single *Violets, Lavender, Serpentaria trifol. &c. Ornithogalon Arab.* white and doub. *Narcissus* of *Constantinople*, late *Pine apples, Moly, Persian Jasmine, Opuntia*, or the smaller *Indian Fig, Jucca, Sefeli Æthiop. Agnus Castus, Malva Arborescens, Cistus mas. Althæa Frutex, Sarsaparilla, Cupressus, Crithmum marinum, &c.*

For to *these* might innumerable others be *added*; but we conceive them *sufficient*, and more than (we fear) some *envious* and *mercenary Gard'ners* will thank us for; but they deserve not the *Name* of that *Communicative* and *Noble Profession*: However, *this*, as a *Specimen* of our *Affection* to the *Publick*; and to gratifie divers *Honourable* and *Industrious Persons*, whose *Inclination* to this *innocent Toil*, has

made them spare no *Treasure*, or *Pains* for the *Furniture* of their *Parterres* with *Variety*; the *mifcarriage* whereof being sometimes *universal* to the *Curious*, has made us the more *freely* to *impart* both what we have *experimentally* learned from our own *Observations*, and from *Others* of undoubted *Candor* and *Ingenuity*.

A

New Conservatory,

O R

Green-House.

· **T** Is now after many se-
· vere *Winters* Observati-
· on, both whilst they made use
· of the ordinary *Iron Stoves*, and
· other Inventions to moderate
· the sharp *Air* in the *Green-house*
· (as they call it) and even since
· the *Subterranean CalidnAs* have
· been introduc'd, I often took
· notice, that tho' the most ten-
· der, and nicer *Plants*; such as
· commonly are brought in out
· of the *Air*, for their preserva-
· tion (during the rigid Frosts and
· piercing Winds) did out-live
· and escape those rigorous Sea-

M 4

· sons

• sons for the most part, and some
 • of them make considerable ad-
 • vance, producing and maintain-
 • ing both Fruit and Flowers:
 • Yet, that even the hardiest a-
 • mong them, very rarely pass'd
 • their Confinements, without
 • Sicknes, a certain *Languor* or
 • Taint discoverable by their
 • Complexions: Many of their
 • Leaves parch't about their Ed-
 • ges, or falling, dry, and de-
 • priv'd of their natural Verdure,
 • with other *Symptoms*, which
 • can proceed from no other (so
 • likely) Cause, as their being
 • kept from *Breathing* (as I pre-
 • sume to call it) the pure, and
 • genuine *Air*, impregnated with
 • its *Nitrous Pabulum*, which is
 • not only the Nourishment, and
 • Life of *Animals*, but of all
 • *Plants* and *Vegetables* whatso-
 • ever.
 • This, whilst I could not but
 • impute to the Consumption of
 • that

• that inspiriting *balsamick* Nou-
• riture, by reason of dry Heat
• emitted from the common
• *Stoves*, Pans of *Charcoal*, and
• other included Heaters, which
• continually prey'd upon, wa-
• sted, and vitiated the *stagnant*
• and pent-in Air, without any
• due and wholesom succession
• of a more vital, and fresh Sup-
• ply : It came into my Thoughts,
• that there might haply be
• found out some Contrivance,
• whereby to remedy this Incon-
• venience, with considerable Im-
• provement, and no great Charge
• or Difficulty ; if in stead of
• that imprison'd, and *Effete* Air,
• within the *Green-house*, there
• might a constant Stream of
• fresh, and untainted, be let in,
• and issue out as freely ; and
• that so qualified in its *Interme-*
• • *diate Composition* (which is ano-
• ther Consideration I suspend
• the mentioning at present) as
• should

• should be very agreeable to
 • the Nature and Constitution of
 • the several Plants that were to
 • pass their *Hybernation* in the
 • *Green-house*.

Sir Chr.
 Wren.
 Mr. Hooch.

• Communicating *these Thoughts*
 • to some of the *Royal Society*
 • (not only approving, but con-
 • curring with the Proposal) it
 • produced the following *Scheme*,
 • which I recommend to the Cu-
 • rious at adventure; the *Specu-*
 • *lation* being, I think, so very
 • Rational, (and by some Expe-
 • riments on that *Element* demon-
 • strated) the *Practice* so little
 • Chargeable, and the Benefit of
 • so great Concernment to our
 • *Gardner*.


• In describing this, I shall
 • not need to say any thing con-
 • cerning the necessary Dimensi-
 • ons, or Ornaments of the Stru-
 • cture: Every experienc'd *Gard-*
 • *ner* will consider, that of what-
 • soever length his *Green-house* be,
 • the

• the *Depth* should not much ex-
• ceed twelve or thirteen Feet,
• (tho' as our *Stove* is, and may
• be contriv'd, it may be of
• much greater Capacity) nor the
• *Height* above ten or eleven at
• most : That being placed at the
• most advantageous Exposure to
• the *Sun*; that *Side* be made to
• open with large, and ample
• Windows or *Chasses*, (for *Light*
• it self, next to *Air*, is of won-
• derful importance) the *Joints*,
• and *Glazing* accurately fitted,
• and cemented : And (to the
• end that having occasion at any
• time to go into the House, no
• crude *Air* rush in) I add, That
• it were convenient a *Porch* were
• so made, that the Door of it
• may shut very close after the
• *Gard'ner*, before he open the
• *Green-house* Door, which he is
• to shut again at his going out,
• before he open the Door of the
• *Porch* at which he entred from
• abroad :

• abroad: And this may be con-
 • triv'd to a small *Wicket*, at the
 • end of the *Green-house*, with-
 • out being oblig'd to open any
 • of the larger *Valves* and dou-
 • ble Doors without necessity.
 • This Work of the *Doors*, *Win-*
 • *dows*, and *Porch* requiring good
 • season'd Stuff, and a skilful
 • Work-man, I pass to the Ex-
 • planation of the following
 • Table.

• At one of the Ends of the
 • *Conservatory* or *Green-house* ('tis
 • not material whether the *East*
 • or *West*) erect on the out-side
 • Wall your *Stove*, be it of *Brick*,
 • or (which I prefer) of *Rygate-*
 • *Stone*, built square, of the or-
 • dinary size of a plain single
 • *Furnace*, (such as *Chymists* use
 • in their *Laboratories* for com-
 • mon Operations) consisting of
 • a *Fire-hearth*, and an *Ash-hole*
 • only; which need not take up
 • above two Feet from out to
 • out;

- out: Let it be yet so built,
- that the *Fire-grate* stand about
- three Feet higher than the
- Floor or *Area* of the House.
- The *Flue*, *Shaft*, *Fire*, and *Ash-*
- *hole* to be without, tho' joining
- close to the End-wall, as in
- *Figure I.* which represents the
- *Conservatories* In-side, with the
- *South-side* quite open, and *Stove*
- abroad in the *Air*.



FIGURE

LIBRARY
CAMBRIDGE

Fig: I.




Fig: III.





Fig: II.



Fig: IV.



T

A.

B.

C.

D.

I.

2.

3.

4.

FIGURE I.

*The Whole Green-house and
Furnace in Perspective.*

- A. The *Roof* whether around or flat within.
- B. The North blind Wall.
- C. The *Area*, or Floor within.
- D. The *Stove* or *Furnace*.
 - 1. The *Ash-hole*, } The Mouths
 - 2. The *Fire-hearth*, } of both to
be fitted with *Doors* or
Plugs, for Regulating of
the Heat.
 - 3. The Extremities of certain
Pipes, passing thorow the
Brick-work and *Furnace*,
and projecting both with-
out and within the House.
 - 4. The *Funnel* or Shaft applied
to the Wall without, which
carries up both the Smoke
of the Fuel, and exhausted
Air of the *Green-house*,
thorow the *Air-pipe*, &c.
 - 5. The

5. The *Air Ground-pipe*, laid the whole length of the *Green-house*, in the middle of the *Floor*, a little under the *Ground* or *Pavement* thereof; and reaching from end to end.
6. The *Hole*, or *Opening* at the end of the *Ground-pipe*, opposite to the *Stove* end; which *Hole* is to be left open, or govern'd with its *Register*, to attemper the *Air*, which entring by the *Furnace-Pipes*, Circulates through *This* to the *Grate* of the *Stove*, and blowing the *Fire*, issues out at the *Funnel*.
7. The *Thermometer* hanging over the *Nose* of the *Ground-pipe*; by which to govern the *Heat*.

FIGURE

FIGURE II.

- E. Represents the *Furnace Air-pipes*, and how they are placed to pass through the Fire and Brick-work, with the Projecture of their Noses, to take fresh Air from *without*, and carry it into the House.
- a a.* The Frame, or Square of Brick-work, on which they lie horizontally to receive the Heat of the Fire.
- b b.* The *Air-pipes*.
- c c c c c c.* The *Noses* of the *Pipes* projecting beyond the Brick-work both without and within.

FIGURE III.

- F. Represents the whole *Stove* or *Furnace*.
- a.* The *Asb-hole*.
- b.* The *Fire-grate*.
- c c c.* The Projection of the *Air-pipes* which pass thorow the
- N Fur-

Furnace, and *Green-house*
end wall, into the House.

d d. The *Air-pipes* to be seen as
they pass thro' the *Furnace*.

e. The *Funnel* or *Shaft*.

f f. Part of the *End-wall* of the
Green house, thorow which
the *Air-pipes* pass, and pro-
ject their Noses.

FIGURE IV.

G. Represents the *Ash-hearth*.

a. The *Ash-hole*.

b b. One of the Ends of the
Floor-pipe, turning up, and
inserted into the *Ash-hearth*
within a little of the *Grate*.

c c. The *Ground* or *Floor-pipe*,
communicating with the in-
serted Pipe *b b*.

d d. The *Fire-grate*.

e. The *Register* at the other end
of the *Ground-pipe*.

• Thus the fresh *Air* entring
• perpetually thorow the heated
/ Earthen Pipes into the *Conser-*
• vatory,

• vatory, and as constantly circu-
• lating thorow the *Orifice* of the
• *Floor-pipe*, will give continual
• Supply of qualified *Air* and
• Nutrition to the *Plants*, as far
• as concerns that *Element*; and
• as they are placed nearer, or
• farther from the Noses of the
• *Stove-pipes*, enjoy the several
• *Climats* and Degrees of *Warmth*
• which shall be found most na-
• tural and agreeable to them.

• The best *Pipes*, and only
• proper for this purpose, are such
• as are made of the best *Crucible-*
• *Earth*; for should they be of the
• best *Cast Iron*, a too intense Heat
• of *Sea-coal* or *Char-coal* Fire
• would indanger their melting.
• Let therefore the Fire be rather
• constant, than vehement.

• I doubt not but one *single*
• Pipe of competent bore, would
• be as effectual as three or four,
• which should not be of above
• Inch and half bore.

• *Note*, That any sort of Fuel
 • whatsoever may be used safely
 • in this Stove.

• **I** Conclude all with a Cata-
 • logue of such excellent *Fruit-*
 • *Trees*, as may direct *Gentlemen*
 • to the Choice of that which is
 • good, and Store sufficient for a
 • moderate Plantation: *Species*
 • and *Curiosities* being otherwise
 • boundless, and without end.

[*Note*, That M signifies *Mu-*
ral or *Wall-fruit*; S, *Stan-*
dard; D, *Dwarf*.

APPLES.

	Kentish	
	Russet	
S	Holland	Pepin.
	Golden	
	Golden Russet	
	Pear-main.	
	Loane's Pear-main.	
	Hervy-Apple.	
S	Reinet flat.	

Deux-

Codl
Red
Gen

M B

B
B
V

Deux-ans, or John.

Passe-pome.

Pome Apis.

Cour pendue.

Calvile of all sorts.

Golden Mundi, excellent.

July-flower.

Queen.

Marigold.

Winter Queening.

Leather-Coat.

Chesnut.

Kirkham.

Cats-head.

*Juniting, red, and white, first
ripe.*

Codling Kentish, &c.

Red-strakes, } Cider.

Genet Moyle, }

P E A R S.

M Bonne Chrestienne, } Summer.

} Winter.

Bergamot ordinary.

Bergamot de Busy.

Vergoleuse, excellent.

*Poire a double fleur.**Windsor Souvaigne.**Green-field.**Boeurie du Roy.**Ambret.**Chessom.**Espine d' Yver.**Petit Muscat.**Petit Blanquet.**S Blanquet Musque.**Orange Bergamot.**Petit Rouflet, excellent.**Cuisse Madame.**Boudin Musque.**Monille en Bouche.**Brute e bonne.**King Pear.**Lewes.**Bezy d' Herie.**Rouflet de Rhemes.**Vert longue.**Cussole.**Rouflet Campagne.**Petit Topin.**Messire Jean.**Amadot.**French*

French King.

Jargonel.

D *St. Andrew.*

Ambrosia.

Vermilian.

Lunsac.

Elias Rose.

Calliot Rosat.

Swans Egg.

Musque Robin.

Golden de Xaintonge.

Poire sans Pepin.

Popering.

Rolling Pear of Lewes.

Madera.

S *Hampden's Bergamot.*

Norwich.

Worcester.

Arundel.

*Lewes Warden, best without
compare.*

Dove.

Squib.

Stopple.

S *Deadmans.*

Winter Musque.

N 4

Chefil.

*Kalendarium Hortense.**Chefil.**Catherine,* { *Red.*
 *King.**Suggar.**Lording.**Red Squash,* }
Bosbery, *for Perry.*
Watford,

QUINCES.

*Portugal.**Brunswick.**Barbery.*

PEACHES and NECTARINS.

*M Admirable.**Alberge, Sir H. Capel's.**Alberge, small yellow.**Almond Violet.**Bourdin.**Belle Chervreuse.**Elnge Nectarin, excellent.**Maudlin.**Mignon.**Morella.*

Morella.

Musque Violet.

Murry Nectarin.

Red Roman Nectarin.

Nutmeg, white, red.

Man Peach.

Newington, excellent.

Persique.

Rambullion.

Syon, excellent.

Orleans.

Savoy Mala Cotton, &c.

ABRICOTS.

Musk Abricot.

M Bishop of Lond. Fulham, excellent.

Orange.

Great Bearer, or Ordinary.

PLUMS.

Perdrigon, { *White.*
 { *Blue.*

Primordial.

Reine

S *Reine Claud.***&** *Mirabel.***M** *White Nutmeg.**Pear-plum,* { *White.*
 *Black.**Pease-cod.**Prune de l' Isle Vert.**Damasq. Violet. Date.**Catharine.***S** *Date white.**Damazeene.**Damson,* { *White.*
 *Black.**Muscle.**Cheffom.**Imperial.**Jane.**Saint Julian.**Queen-Mother.**Morocco.**Bullas,* { *White.*
 *Black.***FIGS.**

FIGS.

M Scio white.

& Purple.

D Blue.

Yellow.

Dwarf.

CHERRIES.

D Carnation.

Hartlib.

S Duke Flander.

& Kentish.

M Black Cherry of Sir William
Temple.

Black Heart, true.

Black Orleans.

Great Bearer.

Duke.

Luke Ward.

Morocco.

Prince Royal.

Petworth Amber.

Croone.

Bleeding

*Bleeding Heart.**May Cherry.**Begareux, Egriot.**Guynnes.**Cluster.**Cologne.**Darking wild Cherry for Wine,
excellent.*

V I N E S.

Amboise.

<i>Frontinac,</i>	{	<i>Grizlin, excellent.</i>
		<i>White, excellent.</i>
		<i>Blue.</i>

*Burgundian Grape.**Early Blue.*

<i>Muscatell,</i>	{	<i>Black.</i>
		<i>White, excellent.</i>

*Morillon.**Chassela.**Cluster-grape.**Parsley.**Raisin.**Bursarobe.**Burlet.**Corinth.*

Corinth.

Large Verjuice, excellent for
Sauces and Saleting.

GOOSEBERRIES.

Crystal.

Amber Great.

Early Red.

English
and } *Yellow.*
Great

CORINTHS.

White, } *English, Dutch.*
Red, }

Black, Medicinal.

RASPIS.

White, } *Large.*
Red, }

Black, Wild.

MUL-

MULBERRIES.

*Black or Red.**White Virginia, for the Silk-
worm.*

BERBERRIES.

*Great Berberry.**Berberry without Stones.*

STRAWBERRIES.

*Common Wood.**English Garden.**American, or Virginian.**Polonian.**White Coped.**Long Red.**The Green Strawberry.**Scarlet, &c.*

MEDLARS.

*The Great Dutch.**Neopolitan : and**One without Stones.*

SER-

SERVICES.

Wild.

Pear Sorb.

Azerole.

WALNUTS.

The Early.

Great Double.

Tender Scull and Hard.

Bird-nut.

FILBERTS.

*White, } Avelans.
Red, }*

Large Hasel.

*Long, Thin, and Great Round
Nuts.*

CORNELIONS.

White, Red, &c.

• *Most*

• Most of which, and innume-
 • rable more, dispers'd (for most
 • part) after the several *Months* in
 • the foregoing *Kalendar*, were
 • here recited for such as will be
 • contented with a *confin'd* and
 • choice *Furniture* for their *Planta-*
 • *tions*: Those who desire a larger
 • *Catalogue*, may be supplied at
 • the end of the *Kalendar* printed
 • with my *Sylva in Folio*: And
 • such as would not be impos'd
 • upon, will find the best *Ware*
 • and *Dealing* at *Brampton-Park*
 • near *Chelsey*, Cultivated by
 • Mr. *Wise*, and the joint Directi-
 • on of that excellent Gard'ner
 • Mr. *London*, worthy of his *Royal*
 • *Title*.

A LETTER from Sir Dudley Cullum, to John Evelyn Esq; concerning the lately invented Stove for the Preservation of tender Plants and Trees in the Green-house during Winter; formerly publish'd in the Philosophical Transactions, Vol. xviii. Num. 212. p. 191.

S I R,

I Cannot but think my self oblig'd in Gratitude to give you an Account how well your lately invented *Stove* for a *Green-House* succeeds (by the Experiment I have had of it) which certainly has more Perfection, than ever yet Art was before

n

Master

Master of. Sir, I have pursu'd your Directions in laying my Pipes (made of Crucible Earth) not too near the Fire grate, which is nigh upon, or better than Sixteen Inches; and by making a Trench the whole length of my House, under the Paving (for the Air to issue out and blow the Fire) of a convenient Breadth and Depth (that is, Eighteen Inches both ways, cover'd with an Arch of Bricks) and at the other End of the Trench, having a square Iron Plate answerable to that of my Paving (which is Eighteen Inches) to take off and put on, with a round Hole at the Corner, of about Three Inches Diameter, with a Lid to slide open, and shut, upon every End of them, as you may have seen upon some Porridge-pot Covers; so that by opening any of these Holes, or all of them, more, or less, or taking

taking off the whole Plate, I can release such a quantity of Air out of the House to blow the Fire so, as to increase, or diminish the Blasts; and, as you were pleas'd by Letter to inform me, concerning distributing the Air at its Admission more equally thro' the House, I have inserted my Pipes into a Channel all along the Wall, at the End of the House, with those several Overtures you mention'd. All which, *Sir*, I assure you, prove most admirably well; And by which free, and generous Communication of yours, you have most highly oblig'd all the Lovers of this Hortulan Curiosity and Recreation, as well as,

S I R,

Your most Faithful and

Humble Servant,

D. CULLUM.

THE TABLE.

IT might seem impertinent to have added a *Table* to a *Book* of so small a *Volume*, and which seems to be it self but a *Table*: But since it may prove Advantageous for the saving of *Time*, at once, to learn the whole *Culture* of any *Plant* (as the *Particulars* are sprinkl'd thro' the several *Pages*) the *Author* has thought fit to Collect, and annex it to the Foot of his *Kalendar*.

A	<i>African Flowers.</i> 38, 39
<i>Abaqueation.</i> P. 13,	<i>Age.</i> 103, 121, 126
24, 31, 122, 130	<i>Agriculture.</i> 8
{ 133	<i>Air.</i> 12, 85, 103, 117,
<i>Abricots.</i> 13, 72, 83,	126, 127, 137, 138,
123, 132, 171	139, 140, 143, 145,
<i>Acacia.</i> 118	154, 165
<i>Additions.</i> 10	<i>Alaternus.</i> 27, 36, 51, 56
<i>Aethiopic-Apples.</i> 38	104, 114, 115, 127
	O Ale-

The TABLE.

<i>Alexanders.</i> 32, v. <i>Sellerie.</i>	<i>Artichokes.</i> 34, 46, 110,
<i>Almond.</i> 132	129, 130
<i>Aloe.</i> 42, 117, 138, 139	<i>Asparagus.</i> 12, 34, 110,
<i>Althaa.</i> 140	132, 143
<i>Amaranth.</i> 38, 39, 68,	<i>Aspect.</i> 130
93	<i>Avenues.</i> 140
<i>Amomum Plinii.</i> 42, 90,	<i>August.</i> 96, 102
117	<i>Aviaries.</i> 28, 43, 80
<i>Amputation, v. Wounds.</i>	<i>Autumnal Flowers.</i> 116
<i>Anemomy.</i> 19, 20, 37,	<i>Auricula.</i> 20, 37, 39,
40, 53, 54, 69, 79,	40, 51, 54, 78, 114,
92, 93, 103, 105,	135
114, 118, 126, 145	
<i>Angelica.</i> 97	B
<i>Anniseed.</i> 24, 110	<i>Balsamina.</i> 38, 104
<i>Annuals.</i> 50, 79, 115	<i>Balsamum mas.</i> <i>ibid.</i>
<i>Antirrhinum.</i> 69	<i>Barba Jovis.</i> 56, 117
<i>Ants.</i> 48, 86, <i>vid. Pis-</i>	<i>Basile.</i> 33, 45
<i>mires.</i>	<i>Baies.</i> 36, 40, 146
<i>Apples.</i> 18, 25, 26, 30,	<i>Berries.</i> <i>ibid.</i>
35, 49, 61, 72, 76,	<i>Beans.</i> 17, 24, 46, 60,
87, 99, 109, 111,	133, 143
124, 131, 134, 144,	<i>Bees.</i> 17, 25, 35, 49,
166	61, 76, 85, 99, 111,
<i>April.</i> 45, 50	143
<i>Approch.</i> 91. <i>See Graf-</i>	<i>Belvedere.</i> 50
<i>sing.</i>	<i>Berberries.</i> 176
<i>Arbusus.</i> 106, 118	<i>Berries.</i> 123, 146
<i>Arromatics.</i> 59, 74	<i>Beet, Beet-Chard.</i> 32,
<i>Vide Sweet-herbs.</i>	33, 97
	<i>Birds.</i>

The TABLE.

<i>Birds.</i> 28, 43, 131. Vide	<i>Carnations.</i> 20, 27, 36,
<i>Aviaries.</i>	39, 51, 53, 67, 68,
<i>Blanching.</i> 33	79, 89, 103, 116,
<i>Blood.</i> 84	127, 140, 145. Vide
<i>Blossom.</i> 74	<i>Gilly-flowers.</i>
<i>Borage.</i> 32, 47	<i>Carpet.</i> 56, 127. Vide
<i>Bordures.</i> 13, 48, 56,	<i>Walks, Grass, Rolling.</i>
143	<i>Carob.</i> 38
<i>Box.</i> 36, 56, 57, 91	<i>Carrots.</i> 24, 33, 46, 97,
<i>Buds.</i> 14, 15, 96, 98,	133
102, 109	<i>Cases.</i> 27, 53, 63, 65,
<i>Budding.</i> 42, 96, 102.	68, 105, 117, 139
Vide <i>Inoculation.</i>	<i>Catalogue of Fruit.</i> 166,
<i>Bugloss.</i> 32	178
<i>Bulbs.</i> 19, 52, 69, 79,	<i>Caterpillars.</i> 24. See In-
91, 92, 103, 115,	<i>sects.</i>
127	<i>Cats.</i> 119
C	<i>Caulie-flower.</i> 17, 25,
<i>Cabbage.</i> 24, 33, 59,	45, 97, 98, 110, 133
85, 97, 110, 133	<i>Chamae-Iris.</i> 40
<i>Calcedon.</i> 115	<i>Chamaelea.</i> 116
<i>Camomile.</i> 37, 115, 127	<i>Charcoal.</i> 146, 155. Vid.
<i>Candy-tufts.</i> 50, 103,	<i>Fire.</i>
115	<i>Chard-Beet.</i> 60, 98
<i>Cankers.</i> 24, 69. Vide	<i>Chardon.</i> 110
<i>Infirmities.</i>	<i>Chervil.</i> 17, 32, 72, 98
<i>Canna Ind.</i> 38	129
<i>Capillaries.</i> 60, 115	<i>Cherries.</i> 16, 25, 72,
<i>Capsicum.</i> 38, 93	77, 88, 123, 131,
	173
	O 2
	<i>Cider.</i>

The TABLE.

Cider. 99, 111, 123, 142	Curiosities. 62, 139. V.
Cions. See Stocks.	Exotics.
Cistus. 117, 118	Cuttings. 133
Clay. 32	Cyanus. 50
Climat. 9	Cyclamen. 40, 55, 78, 80, 91, 105, 115
Clipping. 34, 46, 56, 91, 97, 98, 125	Cyons. 16. Vide Grass.
Cloves. 68. V. Carnations.	Cypress. 40, 56, 125
Colchicum. 92, 103, 115	Cytisus. 79, 117, 140
Cold. 14, 148, 149, 150.	
V. Conservatory, Frost.	D
Colours. 74	
Columbine. 50, 104	Dactyls. 38. Vid. Dates.
Compost. 63, 66, 111, 129. Vide Dung, Soil, &c.	Daffodils. 78, 115. Vid. Narcissus.
Conservatorie. 136, 145, 149, 150, 153. Vid.	Dates. 42, 117
Cold.	Datura. 38
Convolvulus. 37	December. 142, 145
Corinths. 130, 175	Delphinium. 50, 115.
Corn-Sallet. 24, 97	Vid. Larks-spar.
Cornelions. 177	Dens Caninus. 79, 92, 103
Covering. 118, 133. See Shelter.	Diet. Vide Sickness.
Cresses. 33	Digitalis. V. Fox-gloves.
Crocus. 91, 92, 103, 116, 126	Digging. 13, 124. See Trenching, Dressing, Moulding, Earthing- up, &c.
Crown-Imperial. 80, 92	Distilling. 60, 73. Vid.
Cucumbers. 25, 29, 47	Laboratory.

Doubling

The TABLE.

Doubling of Flowers. 42.

Vide Multiplying.

Dressing. See *Earthing-up*, *Moulding*.

Drones. 85. *Vid. Bees.*

Dung. 12, 63, 66, 67, 90, 136, 139, 143.

See *Compost*, *Soil*, *Stercoration*.

Dust. 66, 139

Dwarfs. 122, 131. *Vide Shrubs.*

E

Earthing-up. 66, 90, 110, 116, 117. See *Stirring*, *Dressing*, *Trimming*.

Earwigs. 86. See *Insects*.

Endive. 32, 97

Esculents. 110. *Vide Sallets*, *Kitchen-Garden*, *Pot-herbs*.

Espaliers. 48. See *Pole-Hedges*.

Ever-greens. 40, 43, 54, 116. *Vid. Perennials*.

Exotics. 38, 51, 53, 147. See *Curiosities*.

F

February. 22, 27

Fennel 33

Filberts. 177

Flies. 85. *Vide Insects*

Flos-Africanus. 38

Flos-Cardinalis. 53, 118

Flos-Passionis. 38. *Vide*

Marcoc.

Flowers their whole

Culture. 21, 28,

33, 44, 57, 70, 81,

94, 107, 119, 128,

141, 146. *When*

to take up and re-

plant. 78, 79, 92,

93, 135, 136. See

Mould.

Flower-Garden. 19, 27,

36, 50, 62, 78, 89,

102, 114, 125, 135,

145

Fibrous Plants. 51, 91,

115, 140

Fir. 36, 38, 40, 51,

117

Fire. 137, 165. *Vide*

Stoves.

Figs. 12, 69, 101, 173

O 3

Figs.

The TABLE.

Fogs. 12, 34, 118, 130, 132, 137. See <i>Mists</i> .	Gathering. 73, 78, 109, 122, 133
Forms. 41. See <i>Shape</i> .	Gentianella. 37
Forest-trees. 140, 141. Vide <i>Grove</i> .	Geranium. 38, 118
Fountain. 146	Gilly-flowers. Vide <i>Car-</i> <i>nations</i> .
Fox gloves. 50, 103, 115. Vide <i>Digitalis</i> .	Gladiolus. 92
Fraxinella. 105	Gooseberries. 175, 130
Fritillaria. 80, 92, 103, 105	Gourds. 29
Frost. } 20, 22, 40, Freezing. } 41, 106, 136, 137, 143, 145, 146. Vide <i>Cold, Snow</i> .	Graffing. 23, 30, 55, 91, 132, 142
Fruit. 18, 35, 49, 61, 76, 87, 99, 111, 124, 134, 144, 166	Graffs. 16, 23, 122
Fruit-room. 35, 143	Granad. 90
Fruit trees. 13, 22, 24, 121, 143	Grapes. 113. V. <i>Vines</i> .
G	Grass. 93. Vide <i>Turf</i> , <i>Carpet</i> .
Gard'ner's Life, Labour, Pains, Pleasure, Neg- ligence, Season, Astro- logy, Method, &c. 2, 3, 5, 6, 7	Gravel. 93. V. <i>Walks</i> .
Garlic. 24, 33, 98	Greens. 40, 43, 52, 90, 105, 117, 135, 136. See <i>Ever-greens</i> .
Garussey-Lilly. 52, 78. Vide <i>Japan Lillies</i> .	Green-House. 42, 52, 54, 63, 117, 118, 135, 136, 137, 138, 145, 147, 148, 153, 154, 155, 156, &c. Vide <i>Conservatory</i> , <i>Stove</i> , &c.
	Groves. 140. Vide <i>For-</i> <i>est-trees</i> .

H *Hail*.

The TABLE.

H		January. II, 19
		Japan-Lillies. Vide Lil-
Hail. 53. Vide Storms.		lies.
Haughing. 48, 56, 87.		Jasmine. 37, 55, 56,
See Weeding.		69, 79, 91, 136
Haws. 123	Inarching. 60	
Hedges. 48. See Espa-	Infirmities. 39, 75. Vide	
liers.	Sickness, Canker, In-	
Hedysarum. 38	sects.	
Hellebor. 37, 51, 115	Inoculation. 43, 72, 79,	
Hepatica. 37, 51, 105,	85, 91, 96, 98, 102,	
115	109, 132. See Bud-	
Herbs dry. 72. And for	ding, Buds, Grassing.	
Winter. 110	Insects. 47, 48, 60, 75,	
Hives. 49, III. See	86, 93, 109, III,	
Bees.	145. Vide Vermin.	
Holyhoc. 50, 103, 126	Insolation. 64, 65. Vide	
Hops. 23	Water, Watering.	
Hot-bed. 13, 25, 29, 30,	Iris. 78, 80, 92, 103,	
39, 47, 50, 52, 76,	105, 115, 127	
129, 130, 143	July. 83, 89	
Humble Plant. 38	June. 72, 78	
Hyacinth. 102. Vide	Junquil. Vide Narcissus.	
Facimb.		
Hyssop. 45. See Sweet-		
herbs.		

K

J		Keiri. Vide Stock-gilly-
Facinth. 78, 80, 105.		flower, Leucoium.
Vide Hyacinth.	Kernels. 17, 19, 24, 31,	
	51, 122, 131, 242	
	O 4	Keys.

The TABLE.

Keys. 123. Vide Mast,	Leucoium. 37, 51. Vide
Sowing.	Keiri, Stock-gilly-flo.
Kitchin-Garden. 25, 85,	Lighb. 137, 157
121, 129, 142. See	Lilac. See Syringa.
Sallets, Pot-berbs.	Lilly. 52, 103, 104. Vi-
Knots. 91. Vide Par-	de Garnsey, Japan.
terres.	Lime. 64. Loam. 12,
L	67, 90. V. Compost.
Laboratory. 60, 74. See	Lapines. 37, 51
Distilling.	Lychnis. 115
Larks-spur. 27. Vide	M
Delphinium.	Mangonisme. 41
Lavender. 31, 46	Mamuring. 24
Laurel. 90	March. 29, 36
Layers. 39, 79, 83, 90,	Marcoc. 38, 118. Vide
116, 131, 133	Passion-flower.
Laying. 24, 89, 105,	Mast. 123
106	Majoran. 33, 45, 59
Leaves. 34, 39, 51, 60,	Marum Syriacum. 53,
84, 85, 86, 127, 130,	118
138, 139, 141, 154.	Mary-gold. 24, 38, 50,
Falling. V. Infirmities.	97
Leeks. 32, 45	Martagon. 80, 103,
Lemmons. 42, 55, 106,	105, 115
117	Matrasses. 140
Lentiscus. 38, 42	Matricaria. 37, 51, 115
Lettuce. 17, 33, 45, 46,	May. 59, 62
47, 48, 59, 72, 83,	Medica. 50
97, 98, 110, 123	Medicinal Plants. 33,
129	110
	Medi-

The TABLE.

<i>Medicines.</i> 41. Vide <i>Infirmities.</i>	N
<i>Medlar.</i> 132, 176	<i>Nailing.</i> 16, 22, 96,
<i>Melons.</i> 25, 29, 30, 47,	142. Vide <i>Pruning.</i>
60, 129	<i>Narcissus.</i> 103. Vide
<i>Mice.</i> 24	<i>Daffodil.</i>
<i>Mirabile Peru.</i> 38, 93	<i>Narcissus of Japan.</i> 52,
<i>Mist.</i> 134. Vide <i>Fogs.</i>	78. Vide <i>Lillies.</i>
<i>Moon.</i> 13, 25, 41, 51,	<i>Narcissus Tuberos.</i> 37,
122	125
<i>Monthly Garden.</i> 147	<i>Nasturtium.</i> 33, 38, 60,
<i>Moss.</i> 16, 24	93
<i>Mould.</i> 12, 13, 63, 66,	<i>Nectarine.</i> 22, 30, 86,
67, 126, 127, 129,	100, 132, 170. Vide
135, 139. Vide <i>Soil,</i>	<i>Peach.</i>
<i>Earthing-up.</i>	<i>Nigella.</i> 115
<i>Mouldiness, and Musty.</i>	<i>Nights.</i> 42
138. Vide <i>Air.</i>	<i>November.</i> 114, 129
<i>Mowing.</i> 56, 127. Vide	<i>Nursery.</i> 16, 17, 19, 31,
<i>Carpet.</i>	73, 131. Vide <i>Se-</i>
<i>Mulberry.</i> 62, 132, 176	<i>minary.</i>
<i>Multiplying.</i> 41. Vide	<i>Nuts.</i> 123
<i>Doubling.</i>	O
<i>Mural-Trees.</i> 15, 30, 56,	<i>October.</i> 121, 125
60, 83, 84, 86, 121,	<i>Off-sets.</i> 52, 91, 92. See
131, 133	<i>Bulbs.</i>
<i>Muscara.</i> 80	<i>Oleander.</i> 42, 55, 106,
<i>Muscipula.</i> 50	117
<i>Myrrh.</i> 38	<i>Oliver.</i> 230. V. <i>Kitchin-</i>
<i>Myrtle.</i> 38, 42, 55, 56,	<i>Garden.</i>
80, 90, 106, 118	<i>Onions.</i>

The TABLE.

Onions. 24, 33, 97, 98,	Pease. 16, 33, 83, 133,
110	143
Orach. 33	Pansie. 50
Oranges, Lemmons, &c.	Peniroyal. 46
42, 43, 54, 55, 62,	Perennial. 37. See Ever-
63, 64, 65, 66, 67,	greens.
74, 75, 86, 90, 91,	Perry. 99
92, 102, 105, 106,	Phaseoli. 38
117, 138, 145	Phillyrea. 36, 40, 52, 56,
Ortyard. 11, 22, 29, 45,	106, 115, 127
59, 121, 129, 142	Physical Plants. 110. Vi-
P	de Medicinal.
Pæonies. 140	Pines. 36, 38, 40, 51,
Palisade. 15, 23, 65,	117
131. Vid. Pole-hedge.	Pinks. 36, 51
Paradise. 1	Pipes. Vide Fountain.
Parsly. 25, 32	Pismire. 47, 48. Vide
Parsneps. 24, 32, 46,	Insects.
97, 110, 133	Plaster. Vide Wounds.
Parterre. 36, 89. Vide	Planting. 22, 121, 122
Knots, Flower-garden.	Plums. 16, 25, 72, 88,
Passion-Flower. Vide	101, 123, 130, 132,
Marcoz.	171
Peach. 13, 30, 47, 71,	Pole-hedge. See Palisade,
83, 88, 100, 109,	Espalier.
112, 131, 132, 170	Pomace. 142. See Cider.
Pear. 16, 18, 25, 26,	Pomegranade. 55, 106
30, 35, 49, 61, 88,	Pomum Amoris. 38
100, 109, 112, 123,	Poppy. 115
124, 131, 134, 144,	Potato. 24, 133
167	Pot-

The TABLE.

Pot-Herbs. 25. Vide
Kitchen-Garden.

Pots. 20, 37, 52, 79,
93, 116, 118

Poultry. 27

Primrose. 37, 51, 105,
115

Pruning. 13, 14, 15, 16,
22, 23, 30, 31, 33,
38, 53, 55, 56, 60,
69, 83, 84, 96, 97,
98, 117, 122, 142,
143. See Wounds.

Q

Quick-sets. 23, 31, 53,
122

Quinces. 170

R

Rain. 24, 53, 55, 90,
91, 114, 127, 137,
145

Ranunculus. 18, 19, 20,
53, 68, 92, 105, 118,
126, 135, 145

Radish. 17, 24, 32, 45,
46, 47, 48, 72, 83,
97, 110, 123

Raspis. 175

Remedies. 19, 27, 74,
75, 85, 86, 93, 111.
Vide Sickness.

Removing. 16, 23, 43,
55, 63, 66, 74, 75,
91, 92, 96, 105, 122,
141. See Transplant-
ing.

Rolling. 127. See Carpet.

Rosemary. 31, 46

Roses. 31, 79, 97, 106,
122, 140

Roots. 13, 31, 64, 90,
92, 97, 103, 104,
110, 122, 127, 133

S

Saffron. 103

Sage 31, 46

Salleting. 17, 25, 47,
49, 71, 83, 110, 129,
143

Sampier. 59

Sap. 14

Savory. 45

Scabious. 50, 79

Scorching. 41, 74. Vide
Sun.

Scorpoides. 50

Scorzonera. 32

Scurvy grass. 45, 97, 110

Secrets.

The TABLE.

Secrets. 68, 105, 118, 139	Smoke. 137
Seasons. 62, 63, 105, 114, &c. Vide Moon.	Smut. 139. Vide Infir- mities.
Sedum. 117, 138	Snails. 47, 60, 76, 86
Seeds. 72, 78, 85, 91, 97, 98, 104, 105, 114, 122, 130, 131, 135	Snow. 20, 41, 136. Vide Cold, Frost.
Seedlings. 39, 40, 103, 115, 135. Vide Nur- sery.	Soil. 11, 12, 63, 66. Vide Mould, Com- post.
Sellery. 32, 60, 110	Sorel. 32
Seminary. Vide Nur- sery.	Sowing. 36, 41, 46, 83, 93, 98, 103, 114, 115, 125, 127, 130, 132, 135, 140
Sensitive Plant. 38, 39	Species. 41. Vide Co- lours.
September. 109, 114	Spinach. 25, 97, 110
Servises. 177	Spring. 11. Vide Sea- sons.
Shade. 39, 55, 65, 68, 74, 79, 90, 106	Stalks. 69, 93
Shape. 41. Vide Form, Colour.	Standards. 121, 122, 131, 142
Shelter. 140. Vide Cold.	Stercoration. 29. Vi- de Dung.
Shrubs. 23, 55, 56, 79, 90, 104, 121, 133	Stirring. Vide Earth- ing-up, Dressing.
Sickness. 74, 75, 131, 138. Vide Infirmities.	Stock-Gilly-flower. 41, 68, 89. Vide Keiri.
Skirrets. 32, 110	
Slips. 32, 80, 89	
Smallage. 32	

Stocks

The TABLE.

<i>Stocks to Graft on.</i> 16,	<i>Tendrils.</i> Vide <i>Vines.</i>
31, 42, 96, 102, 123,	<i>Thyme.</i> 31, 45, 46, 59
131, 132, 142.	<i>Tools.</i> 17
Vide <i>Grafting, Cions.</i>	<i>Transplanting.</i> 13, 35,
<i>Stones.</i> 19, 24, 123,	39, 41, 41, 43, 63,
140. See <i>Kernels.</i>	66, 78, 91, 92, 96,
<i>Storms.</i> 53, 116, 122,	98, 106, 110, 115,
Vide <i>Wind, Hail,</i>	116, 130, 137, 140.
<i>&c.</i>	Vid. <i>Removing.</i>
<i>Stoves.</i> 137, 138, 153,	<i>Traps.</i> 19. See <i>Vermin.</i>
154. Vid. <i>Fire, Green-</i>	<i>Trenching.</i> 11, 121,
<i>house.</i>	143. Vide <i>Digging.</i>
<i>Strawberries.</i> 34, 47,	<i>Trimming.</i> 117. Vide
99, 110, 176	<i>Dressing, Stirring,</i>
<i>Succory.</i> 32	<i>Pruning.</i>
<i>Suckers.</i> 97, 131, 132	<i>Taberose.</i> 52, 116, 125.
<i>Sun.</i> 41, 65, 74, 79,	Vide <i>Narcissus.</i>
137. Vide <i>Insolation.</i>	<i>Tulips.</i> 40, 54, 69, 79,
<i>Swarms.</i> 61, 76. See	91, 92, 105, 115,
<i>Bees.</i>	126
<i>Sweepings.</i> 127, 141	<i>Turf.</i> 93
<i>Sweet-Herbs.</i> 13, 45, 59.	<i>Turneps.</i> 33, 46, 47, 48,
Vide <i>Aromaticks.</i>	97, 133
<i>Sweet Williams.</i> 36, 51	
<i>Syringa.</i> 140	

V

T	<i>Variegation.</i> 42, 126,
<i>Tabacco.</i> 33	127. See <i>Mango-</i>
<i>Taragon.</i> 47	<i>nisme.</i>
	<i>Ver-</i>

The TABLE.

<i>Verdures.</i> 67. Vide Evergreens.	<i>Watering.</i> 34, 74, 79, 83, 84, 90, 104, 106, 136, 138, 139, 140
<i>Vermis.</i> 19, 27, 145. Vide Insects.	<i>Weather.</i> 130
<i>Vines.</i> 13, 22, 72, 84, 97, 123, 142, 143	<i>Weeding.</i> { 12, 13, 46,
<i>Vine-yard.</i> 72, 84	<i>Weeds.</i> { 48, 56, 60, 74, 87, 93, 105, 127
<i>Violets.</i> 51, 115	<i>Wind.</i> 36, 40, 41, 89, 109, 116, 117, 130, 134, 136, 137
<i>Volubilis.</i> 38	<i>Wind-falls.</i> 109, 122
W	<i>Winter.</i> 40, 138. Vide Storms, Frost, Cold.
<i>Wall-flower.</i> 37. Vide Keiri.	<i>Winter-</i> { Fruit. } 109,
<i>Walks.</i> 56, 93, 127, 140, 141. Vide Carpet.	<i>Plants.</i> } 110
<i>Walls, Wall-fruit.</i> 15, 16, 23, 48, 84, 97, 121, 142. Vide Pruning.	<i>Winter-greens.</i> 138. Vide Evergreens.
<i>Wall-nuts.</i> 177	<i>Wither'd Flowers and Leaves.</i> 79, 127
<i>Wasps.</i> 111. Vide Insects.	<i>Worms.</i> 24, 25, 47, 93, 127
<i>Water.</i> 33, 52, 54, 55, 64, 65	<i>Wounds.</i> 64. Vide Infirmities.

ERRATA.

E R R A T A.

Some *Orthographical* Mistakes in the Names of *Plants* and *Flowers*; Mispointing, and Errors less material, the *Reader* will pardon.

P. 93. read *Graß*.

In the *Plate* or *Perspective* of the *Green-house*, Fig. I. D. the *Stove-pipes* at 3 are plac'd a little *too low* and near the *Grate*; and somewhat *too high* from it in Fig. III. *ccc*; easily reform'd in the Structure of the *Furnace*.

F I N I S.

